

***Salmonella enterica* subsp. *enterica*, Strain 14028s (Serovar Typhimurium) Single-Gene Deletion Mutant Library, Plate 003/004_Kan**

Catalog No. NR-29400

For research use only. Not for human use.

Contributor:

Helene Andrews-Polymeris, Associate Professor, Department of Microbial Pathogenesis and Immunology, College of Medicine, Texas A&M Health Science Center, Bryan, Texas, USA and Michael McClelland, Professor, Scientific Director, Vaccine Research Institute of San Diego, San Diego, California, USA

Manufacturer:

BEI Resources

Product Description:

Production in the 96-well format has increased risk of cross-contamination between adjacent wells. Individual clones should be purified (e.g. single colony isolation and purification using good microbiological practices) and sequence-verified prior to use. BEI Resources does not confirm or validate individual mutants provided by the contributor.

The *Salmonella enterica* (*S. enterica*) subsp. *enterica*, strain 14028s (serovar Typhimurium) targeted single-gene deletion (SGD) mutant library contains a total of 3,773 individual genes deleted simultaneously across two collections of mutants differentiated by kanamycin or chloramphenicol resistance.^{1,2} The kanamycin-resistant mutant collection contains 3,517 mutants distributed among eleven 96-well plates. In these mutants, a single gene is replaced by a cassette conferring the kanamycin resistance gene, and includes 9 double mutants that contain both kanamycin and chloramphenicol cassettes. Deletions were confirmed by the depositor.^{1,2} The parent strain *S. enterica* subsp. *enterica*, strain 14028s is available from BEI Resources as NR-12154.

Genes were targeted for deletion by primers designed to preserve the first and last 30 bases of each deleted gene.² Gene replacement followed a modified Lambda-Red technique, with an added T7 RNA polymerase promoter positioned in plasmid [pCLF4](#) to generate a gene-specific transcript from the *Salmonella* genome directly downstream of each mutant.²⁻⁴ Detailed information about each mutant is shown in Table 1.

Plate orientation and viability were confirmed for NR-29400.

Material Provided:

Each inoculated well of the 96-well plate contains approximately 50 µL of culture in Luria Bertani (LB) broth containing 60 µg/mL kanamycin supplemented with 10% glycerol.

Packaging/Storage:

NR-29400 was packaged aseptically in a 96-well plate. The product is provided frozen and should be stored at -80°C or colder immediately upon arrival. For long-term storage, the vapor phase of a liquid nitrogen freezer is recommended. Freeze-thaw cycles should be avoided.

Growth Conditions:

Media:

LB broth or agar containing 60 µg/mL kanamycin

Incubation:

Temperature: 37°C

Atmosphere: Aerobic

Propagation:

1. Scrape top of frozen well with a pipette tip and streak onto agar plate.
2. Incubate the plates at 37°C for 24 hours.

Citation:

Acknowledgment for publications should read "The following reagent was obtained through BEI Resources, NIAID, NIH: *Salmonella enterica* subsp. *enterica*, Strain 14028s (Serovar Typhimurium) Single-Gene Deletion Mutant Library, Plate 003/004_Kan, NR-29400."

Biosafety Level: 2

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the following publication: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and National Institutes of Health. [Biosafety in Microbiological and Biomedical Laboratories](#). 5th ed. Washington, DC: U.S. Government Printing Office, 2009; see www.cdc.gov/biosafety/publications/bmbl5/index.htm.

Disclaimers:

You are authorized to use this product for research use only. It is not intended for human use.

Use of this product is subject to the terms and conditions of the BEI Resources Material Transfer Agreement (MTA). The MTA is available on our Web site at www.beiresources.org.

While BEI Resources uses reasonable efforts to include accurate and up-to-date information on this product sheet, neither ATCC® nor the U.S. Government makes any warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. Neither ATCC® nor the U.S. Government warrants that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, use and disposal. ATCC® and the U.S. Government are not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, the U.S. Government, ATCC®, their suppliers and contributors to BEI Resources are not liable for

damages arising from the misidentification or misrepresentation of products.

Use Restrictions:

This material is distributed for internal research, non-commercial purposes only. This material, its product or its derivatives may not be distributed to third parties. Except as performed under a U.S. Government contract, individuals contemplating commercial use of the material, its products or its derivatives must contact the contributor to determine if a license is required. U.S. Government contractors may need a license before first commercial sale.

References:

1. Andrews-Polymeris, H. and M. McClelland, Personal Communication.

2. Porwollik, S., et al. "Defined Single-Gene and Multi-Gene Deletion Mutant Collections in *Salmonella enterica* sv Typhimurium." *PLoS One* 9 (2014): e99820. PubMed: 25007190.

3. Santiviago, C. A., et al. "Analysis of Pools of Targeted *Salmonella* Deletion Mutants Identifies Novel Genes Affecting Fitness during Competitive Infection in Mice." *PLoS Pathog.* 5 (2009): e1000477. PubMed: 19578432.

4. Datsenko, K. A. and B. L. Wanner. "One-step Inactivation of Chromosomal Genes in *Escherichia coli* K-13 Using PCR Products." *Proc. Natl. Acad. Sci. USA* 97 (2000): 6640-6645. PubMed: 10829079.

ATCC® is a trademark of the American Type Culture Collection.



Table 1: *S. enterica* subsp. *enterica*, Strain 14028s (Serovar Typhimurium) Single-Gene Deletion Mutant Library, Plate 003/004_Kan^{1,2}

Well Position	Deleted Region of Chromosome or Plasmid	Deletion Start	Deletion End	Locus Tag	14028S Gene Start	14028S Gene End	14028S Gene Strand	Description
A01	plasmid_14028S	10277	10900	STM14_5541	10247	10939	+	Plasmid-encoded fimbriae; chaperone
A02	chr_14028S	205814	208300	STM14_0207	205784	208330	+	Putative fimbrial usher
A03	chr_14028S	668767	669609	STM14_0705	668737	669639	+	Putative transcriptional regulator
A04	chr_14028S	1138622	1138732	STM14_1238	1138592	1138762	-	Putative cytoplasmic protein
A05	chr_14028S	1401171	1401452	STM14_1592	1401141	1401482	-	DNA-binding transcriptional activator OsmE
A06	chr_14028S	1498760	1499389	STM14_1701	1498730	1499419	-	Secreted effector protein
A07	chr_14028S	1963447	1964109	STM14_2244	1963417	1964139	+	Type III-secreted effector protein
A08	chr_14028S	2287854	2289065	STM14_2643	2287824	2289095	-	Putative transport protein
A09	chr_14028S	2604212	2605249	STM14_2999	2604182	2605279	+	Sulfate/thiosulfate transporter subunit
A10	chr_14028S	3049381	3051102	STM14_3484	3049351	3051132	+	Translocation machinery component
A11	chr_14028S	3711708	3712403	STM14_4253	3711678	3712433	+	Putative transcriptional regulator
A12	chr_14028S	4388961	4389911	STM14_4996	4388931	4389941	-	Putative cytoplasmic protein
B01	plasmid_14028S	10962	13310	STM14_5542	10932	13340	+	Plasmid-encoded fimbriae; usher protein
B02	chr_14028S	318919	319191	STM14_0326	318838	319221	-	Putative periplasmic protein
B03	chr_14028S ³	690183	690803	STM14_0728	690153	690833	-	Two-component response regulator DpiA
B04	chr_14028S	1139012	1140421	STM14_1240	1138982	1140544	+	Pathogenicity island-encoded protein D
B06	chr_14028S	1687103	1688110	STM14_1924	1687073	1688143	+	Putative NADP-dependent oxidoreductase
B07	chr_14028S	2026190	2027791	STM14_2334	2026160	2028052	+	Methyl accepting chemotaxis protein II
B08	chr_14028S	2289122	2290066	STM14_2644	2289092	2290096	-	Putative glycohydrolase
B09	chr_14028S	2932888	2933367	STM14_3337	2932858	2933397	+	Phase-1 flagellin repressor
B10	chr_14028S	3055513	3056463	STM14_3491	3055483	3056493	+	Needle length control protein
B11	chr_14028S	3837836	3840304	STM14_4385	3837806	3840334	+	Long polar fimbrial outer membrane usher protein
B12	chr_14028S	4429048	4429857	STM14_5040	4429018	4429887	-	23S rRNA pseudouridine synthase F
C01	plasmid_14028S	26296	26886	STM14_5560	26266	26916	+	Hydrophilic protein
C02	chr_14028S	328445	329173	STM14_0334	328415	329203	-	Putative cytoplasmic protein
C03	chr_14028S	733763	734788	STM14_0779	733733	734818	+	Putative phosphate starvation-inducible protein
C04	chr_14028S	1176649	1177269	STM14_1290	1176619	1177299	+	N-acetylmannosamine-6-phosphate 2-epimerase
C06	chr_14028S	1702188	1703078	STM14_1940	1702158	1703108	-	Secreted effector protein
C07	chr_14028S	2046215	2046487	STM14_2359	2046185	2046517	+	Putative inner membrane protein
C08	chr_14028S	2366139	2367635	STM14_2739	2366109	2367665	-	Hypothetical protein
C09	chr_14028S	2947067	2948059	STM14_3350	2947037	2948089	+	Secreted effector protein
C10	chr_14028S	3074863	3075714	STM14_3514	3074812	3075744	-	Putative transcriptional regulator
C11	chr_14028S	3868330	3869070	STM14_4423	3868300	3869100	+	Transcriptional repressor
C12	chr_14028S	4562749	4563408	STM14_5176	4562719	4563438	+	DNA-binding transcriptional activator DcuR
D01	plasmid_14028S	28213	29928	STM14_5562	28183	29958	+	Hydrophilic protein
D02	chr_14028S	329260	329586	STM14_0335	329200	329616	-	Putative periplasmic protein
D03	chr_14028S	785695	786528	STM14_0839	785662	786558	-	Putative glycosyl transferase
D04	chr_14028S	1187077	1187433	STM14_1304	1187047	1187463	+	Curli assembly protein CsgF

Well Position	Deleted Region of Chromosome or Plasmid	Deletion Start	Deletion End	Locus Tag	14028S Gene Start	14028S Gene End	14028S Gene Strand	Description
D06	chr_14028S	1706313	1707431	STM14_1944	1706283	1707461	-	Putative benzoate membrane transport protein
D07	chr_14028S	2070637	2071284	STM14_2392	2070607	2071314	-	Flagellar assembly protein H
D09	chr_14028S	3030166	3031013	STM14_3462	3030207	3031043	+	Secreted effector protein
D10	chr_14028S	3107354	3108247	STM14_3550	3107324	3108277	-	Secreted effector protein
D11	chr_14028S	3883401	3884222	STM14_4439	3883371	3884252	-	Putative transcriptional regulator
D12	chr_14028S	4671401	4672174	STM14_5307	4671371	4672204	-	Putative transcriptional regulator
E01	plasmid_14028S	92483	93163	STM14_5627	92453	93193	-	Conjugative transfer: fimbrial acetylation
E02	chr_14028S ⁴	377378	378283	STM14_0389	377348	378313	-	Putative transcriptional regulator
E03	chr_14028S	867315	869552	STM14_928	867285	869582	-	Leucine-rich repeat-containing protein
E04	chr_14028S	1189325	1189720	STM14_1309	1189295	1189750	-	Curlin minor subunit
E05	chr_14028S	1493940	1494470	STM14_1694	1493910	1494500	-	Translocation machinery component
E06	chr_14028S	1707545	1708153	STM14_1945	1707515	1708183	+	Putative outer membrane lipoprotein
E07	chr_14028S	2074970	2075914	STM14_2397	2074940	2075944	-	Flagellar motor switch protein FliM
E08	chr_14028S	2392468	2394774	STM14_2769	2392438	2394804	+	Leucine-rich repeat-containing protein
E09	chr_14028S	3033606	3033998	STM14_3467	3033576	3034028	+	Putative cytoplasmic protein
E10	chr_14028S	3297009	3297791	STM14_3769	3296979	3297821	+	Putative transcriptional regulator
E11	chr_14028S	4038389	4039021	STM14_4616	4038359	4039051	-	DNA-binding transcriptional regulator TorR
E12	chr_14028S	4729876	4732671	STM14_5371	4729846	4732701	+	Valyl-tRNA synthetase
F01	chr_14028S ⁵	24499	24981	STM14_0028	24469	25011	-	Fimbrial subunit
F02	chr_14028S	384301	385002	STM14_0395	384271	385032	+	Putative fimbrial chaperone
F03	chr_14028S	921087	922565	STM14_992	921057	922595	-	Putative ABC transporter periplasmic binding protein
F04	chr_14028S	1196138	1198621	STM14_1318	1196108	1198651	-	Glucosyltransferase MdoH
F05	chr_14028S	1495003	1496397	STM14_1696	1494973	1496427	-	Translocation machinery component
F06	chr_14028S	1731300	1732466	STM14_1974	1731270	1732496	-	Secreted effector protein
F07	chr_14028S ⁶	2193152	2195440	STM14_2557	2193122	2195470	-	Secreted effector protein
F08	chr_14028S	2443437	2444636	STM14_2820	2443407	2444666	-	Anaerobic glycerol-3-phosphate dehydrogenase subunit B
F09	chr_14028S	3042338	3043909	STM14_3477	3042308	3043939	+	Protein tyrosine phosphatase/GTPase activating protein
F10	chr_14028S	3414671	3414979	STM14_3910	3414641	3415009	-	Putative periplasmic protein
F11	chr_14028S	4055021	4056034	STM14_4629	4054991	4056064	+	Recombination protein F
F12	chr_14028S	4748438	4749367	STM14_5387	4748408	4749397	-	Putative restriction endonuclease
G01	chr_14028S	194139	194846	STM14_0196	194109	194876	-	Putative transcriptional regulator
G02	chr_14028S	484072	484731	STM14_0508	484042	484761	+	2-aminoethylphosphonate transport protein
G03	chr_14028S	1012450	1013349	STM14_1098	1012420	1013379	-	SopD-like protein
G04	chr_14028S	1218001	1219152	STM14_1348	1217971	1219182	-	Flagellar hook protein FlgE
G05	chr_14028S	1496473	1497000	STM14_1697	1496443	1497030	-	Translocation machinery component
G06	chr_14028S	1739122	1739499	STM14_1982	1738867	1739529	-	Putative SAM-dependent methyltransferase
G07	chr_14028S	2256574	2258370	STM14_2616	2256544	2258400	+	Putative assembly protein
G08	chr_14028S	2460551	2462137	STM14_2839	2460521	2462167	-	4-amino-4-deoxy-L-arabinose transferase
G09	chr_14028S	3044946	3046943	STM14_3481	3044916	3046973	+	Secreted effector protein
G10	chr_14028S	3524479	3525057	STM14_4033	3524449	3525087	+	Stringent starvation protein A
G12	chr_14028S	4839330	4841678	STM14_5492	4839300	4841708	+	Putative fimbrial usher protein
H01	chr_14028S	204726	205745	STM14_0206	204696	205775	+	Putative fimbrial protein precursor
H02	chr_14028S	609399	610346	STM14_0639	609369	610376	-	Minor fimbrial subunit
H03	chr_14028S	1098346	1099254	STM14_1193	1098316	1099284	-	Secreted effector protein
H05	chr_14028S	1497981	1498703	STM14_1700	1497951	1498733	-	Secreted effector protein
H06	chr_14028S	1793306	1794226	STM14_2041	1793276	1794256	-	Phage shock protein operon transcriptional activator
H07	chr_14028S	2283079	2284065	STM14_2636	2283049	2284095	-	Pseudogene
H08	chr_14028S	2588352	2589218	STM14_2979	2588322	2589248	+	Putative transcriptional regulator
H09	chr_14028S	3047022	3047993	STM14_3482	3046992	3048023	+	Translocation machinery component
H10	chr_14028S	3680866	3681720	STM14_4225	3680836	3681750	-	Putative cytoplasmic protein
H11	chr_14028S	4195034	4195753	STM14_4781	4195004	4195783	-	TatABCE protein translocation system subunit
H12	chr_14028S	4865712	4866197	STM14_5516	4865682	4866227	+	Putative fimbrial chaperone

¹All information in this table was provided by the depositor at the time of deposition.

²Construction of each listed mutant has been confirmed either by PCR or by an array indicating a functional T7 promoter in the correct location and orientation. Mutants that did not produce such a signal on the array, or did not yield the expected mutant product during PCR, are not listed.

³Deleted region also overlaps STM14_0727 (0.1%)

⁴Deleted region also overlaps STM14_0390 (9.5%)

⁵Deleted region also overlaps STM14_0029 (1.3%)

⁶Deleted region also overlaps STM14_2556 (25.2%)