



Commander, USAMRIID
Attn: Unified Culture Collection
1425 Porter Steet
Fort Detrick, MD 21702-5011
Tel: 301-619-6032

Record ID 180719KC01

Certificate of Analysis

Non-Viable Biological Reference Material

Product BACI382 **Organism** Bacillus anthracis **Production Date** 6/22/2018
Lot TA062218B **Strain** Sterne BAP708 **Expiration Date** 6/22/2068

Description This product contains non-viable bacteria suspended in a cryopreservative medium.

Storage The expiration date assumes that this product is maintained at or below -70C until use. Freeze/thaw events may alter this date.

Use This product is intended for use as a non-accredited biological reference material.

Test	Requirement	Result	Uncertainty
Concentration			
Particle concentration	>1E8 particles/mL	1.2E8 particles/mL	NA
Genotype			
PCR DBPAO B. anthracis target 1	Positive	Positive	NA
PCR DBPAO B. anthracis target 2	Positive	Positive	NA
PCR DBPAO B. anthracis target 3	Positive	Positive	NA
Immunotype			
LFI DBPAO B. anthracis target	Negative	Negative	NA
Phenotype			
Vegetative cells/Spores	Vegetative cells	Vegetative cells	NA
Viability			
Non-viability assay	Non-viable	Non-viable	NA

Reviewed by

Archived by