

Histoplasma capsulatum, Strain 7090

Catalog No. NR-44360

This reagent is the tangible property of the U.S. Government.

For research use only. Not for human use.

Contributor and Manufacturer:

Primavera Alvarado, Ph.D., Laboratorio de Micología, Instituto de Biomedicina, Caracas, Venezuela

Product Description:

Classification: *Ajellomycetaceae*, *Histoplasma*

Species: *Histoplasma capsulatum* (also referred to as *Ajellomyces capsulatus* and *Emmonsia capsulata*)

Strain: 7090

Original Source: *Histoplasma capsulatum* (*H. capsulatum*), strain 7090 was isolated in 2000 from a 25-year-old male patient with cutaneous histoplasmosis and history of HIV infection in Caracas, Venezuela.¹

Comment: *H. capsulatum*, strain 7090 was deposited as a pathogenic strain, which was confirmed in mice.¹

Histoplasma capsulatum is a thermally dimorphic environmental fungus that inhabits soil. It is endemic in the United States (in the Ohio and Mississippi river valleys) and in Central America. In the soil and at 25°C to 30°C *in vitro*, it exists as mycelium, especially in areas with large amounts of bat or bird guano. In humans and at 37°C *in vitro*, it is a parasitic yeast.² In immunocompetent people, it can present as a mild and self-limiting infection, but is usually asymptomatic. In immunocompromised patients, it can cause severe and disseminated disease. It is considered to be an AIDS-defining illness.²

Material Provided:

Each vial of NR-44360 contains approximately 0.7 mL of fungal growth suspended in 20% glycerol.

Packaging/Storage:

NR-44360 was packaged aseptically in cryovials and is provided frozen on dry ice. The product should be stored at -80°C or colder.

Growth Conditions:

Media:

Modified Sabouraud Dextrose broth or Modified Histoplasma Macrophage Media (HMM) broth or Brain Heart Infusion broth or equivalent

Potato Dextrose agar, Yeast Mold agar (modified with 80 mg/mL uridine) or equivalent

Incubation:

Temperature: 37°C

Atmosphere: Aerobic with or without 5% CO₂

Propagation:

1. Keep vial frozen until ready for use; thaw rapidly.
2. Inoculate an agar plate with approximately 50 µL of thawed culture and/or transfer the entire thawed aliquot into a single tube of broth
3. Incubate the plate and/or tube at 37°C for 4 to 6 weeks.

Citation:

Acknowledgment for publications should read "The following reagent was obtained through BEI Resources, NIAID, NIH: *Histoplasma capsulatum*, Strain 7090, NR-44360."

Biosafety Level: 3

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the following publication: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and National Institutes of Health. Biosafety in Microbiological and Biomedical Laboratories. 5th ed. Washington, DC: U.S. Government Printing Office, 2009; see www.cdc.gov/biosafety/publications/bmbl5/index.htm.

Disclaimers:

You are authorized to use this product for research use only. It is not intended for human use.

Use of this product is subject to the terms and conditions of the BEI Resources Material Transfer Agreement (MTA). The MTA is available on our Web site at www.beiresources.org.

While BEI Resources uses reasonable efforts to include accurate and up-to-date information on this product sheet, neither ATCC® nor the U.S. Government makes any warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. Neither ATCC® nor the U.S. Government warrants that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, use and disposal. ATCC® and the U.S. Government are not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, the U.S. Government, ATCC®, their suppliers and contributors to BEI Resources are not liable for damages arising from the misidentification or misrepresentation of products.

Use Restrictions:

This material is distributed for internal research, non-commercial purposes only. This material, its product or its derivatives may not be distributed to third parties. Except as performed under a U.S. Government contract, individuals contemplating commercial use of the material, its products or its derivatives must contact the contributor to determine if a license is required. U.S. Government contractors may need a license before first commercial sale.

References:

1. Alvarado, P., Personal Communication.
2. Kauffman, C. A. "Histoplasmosis: A Clinical and Laboratory Update." Clin. Microbiol. Rev. (2007): 115-132. PubMed: 17223624.

ATCC® is a trademark of the American Type Culture Collection.

