

Spike Glycoprotein (Stabilized) from SARS-Related Coronavirus 2, Wuhan-Hu-1 with C-Terminal Histidine Tag, Recombinant from Baculovirus

Catalog No. NR-52396

This reagent is the tangible property of the U.S. Government.

For research use only. Not for human use.

Contributor and Manufacturer:

Florian Krammer, Ph.D., Fatima Amanat and Shirin Strohmeier, Department of Microbiology, Icahn School of Medicine at Mount Sinai, New York, New York, USA, supported partially under government contract HHSN272201400008C, NIAID CEIRS program

Product Description:

A recombinant form of the spike (S) glycoprotein from severe acute respiratory syndrome-related coronavirus 2 (SARS-CoV-2), Wuhan-Hu-1 (GenPept: [QHD43416](#)) was produced in High Five™ insect cells using a baculovirus expression system and purified by nickel affinity chromatography.^{1,2} NR-52396 lacks the signal sequence and contains 1196 residues (ectodomain) of the SARS-CoV-2 spike glycoprotein; the recombinant protein was modified to remove the polybasic S1/S2 cleavage site (RRAR to A; residues 682 to 685), stabilized with a pair of mutations (K986P and V987P, wild type numbering) and includes a thrombin cleavage site, T4 foldon trimerization domain and C-terminal hexa-histidine tag.^{1,3} The predicted protein sequence is shown in Figure 1. NR-52396 has a theoretical molecular weight of 137,600 daltons.

Note: For a detailed protocol and list of related items, see <https://labs.ichn.mssm.edu/krammerlab/covid-19/>

Material Provided:

Each vial contains approximately 100 µL of NR-52396 in phosphate buffered saline (PBS). The concentration, expressed as mg per mL, is shown on the Certificate of Analysis.

Packaging/Storage:

NR-52396 was packaged aseptically in cryovials. The product is provided on dry ice and should be stored at -60°C or colder immediately upon arrival. Freeze-thaw cycles should be avoided.

Functional Activity:

NR-52396 reacts with monoclonal anti-histidine tag in western blot analysis and with anti-SARS-CoV S (CR3022) and COVID-19 patient serum in ELISA. NR-52396 is intended for western blot, ELISA and animal vaccination.^{1,3}

Citation:

Acknowledgment for publications should read “The following reagent was produced under HHSN272201400008C and obtained through BEI Resources, NIAID, NIH: Spike Glycoprotein (Stabilized) from SARS-Related Coronavirus 2, Wuhan-Hu-1 with C-Terminal Histidine Tag, Recombinant from Baculovirus, NR-52396.”

Biosafety Level: 1

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the following publication: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and National Institutes of Health. Biosafety in Microbiological and Biomedical Laboratories. 5th ed. Washington, DC: U.S. Government Printing Office, 2009; see www.cdc.gov/biosafety/publications/bmbl5/index.htm.

Disclaimers:

You are authorized to use this product for research use only. It is not intended for human use.

Use of this product is subject to the terms and conditions of the BEI Resources Material Transfer Agreement (MTA). The MTA is available on our Web site at www.beiresources.org.

While BEI Resources uses reasonable efforts to include accurate and up-to-date information on this product sheet, neither ATCC® nor the U.S. Government makes any warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. Neither ATCC® nor the U.S. Government warrants that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, use and disposal. ATCC® and the U.S. Government are not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, the U.S. Government, ATCC®, their suppliers and contributors to BEI Resources are not liable for damages arising from the misidentification or misrepresentation of products.

Use Restrictions:

This material is distributed for internal research, non-commercial purposes only. This material, its product or its derivatives may not be distributed to third parties. Except as performed under a U.S. Government contract, individuals contemplating commercial use of the material, its products or its derivatives must contact the contributor to determine if a license is required. U.S. Government contractors may need a license before first commercial sale.

Registrants interested in commercializing this product must contact Mount Sinai for a license (Frenz, Christopher christopher.frenz@mssm.edu).

References:

1. Krammer, F., F. Amanat and S. Strohmeier, Personal Communication.
 2. Wu, F., et al. "A New Coronavirus Associated with Human Respiratory Disease in China." *Nature* 579 (2020): 265-269. PubMed: 32015508.

3. Amanat, F., et al. "A Serological Assay to Detect SARS-CoV-2 Seroconversion in Humans." *Nat. Med.* (2020): *in press*. PubMed: 32398876.

ATCC® is a trademark of the American Type Culture Collection.



Figure 1 – Predicted Protein Sequence

```

1   CVNLTTRTQL PPAYTNSFTR GVYYPDKVFR SSVLHSTQDL FLPPFFSNVTW
51  FHAIHVSQTN GTKRFDNPVL PFNDGVYFAS TEKSNIIRGW IFGTTLDSKT
101 QSLIVNAT NVVIKVEFQ FCNDPFLGVY YHKNNKSWME SEFRVYSSAN
151 NCTFEYVSQP FLMDLEGKQG NEKNLREFVF KNIDGYFKIY SKHTPINLVR
201 DLPOGFSALE PLVDLPIGIN ITRFQTLAL HRSYLTPGDS SSGWTAGAAA
251 YYVGYLQPRF FLLKYNENGT ITDAVDCALD PLSETKCTLK SFTVEKGIYQ
301 TSNFRVQPTF SIVRFPNITN LCPFGEVFNA TRFASVYAWN RKRISNCVAD
351 YSVLYNSASF STFVKYGVSP TKLNDLCFTN VYADSFVIRG DEVRQIAPGQ
401 TGKIADYNYK LPDDFTGCVI AWNSNNLDSK VGGNYNYLYR LFRKSNLKP
451 ERDISTEIQ AGSTPCNGVE GFNCYFPLQS YGFQPTNGVG YQPYRVVLS
501 FELLHAPATV CGPKKSTNLV KNKCVNFNFN GLTGTGVLTE SNKKFLPFQ
551 FGRDIADTTD AVRDPQTEI LDITPCSFSG VSVITPGTNT SNQVAVLYQD
601 VNCTEVPVAI HADQLTPTWR VYSTGSNVFQ TRAGCLIGAE HVNNSYECDI
651 PIGAGICASY QTQTNPASV ASQSIIAYTM SLGAENSVAY SNNSIAIPTN
701 FTISVTTEIL PVSMTKTSVD CTMYICGDST ECSNLLLQYG SFCTQLNRAL
751 TGIAVEQDKN TQEVFAQVKQ IYKTPPIKDF GGFNFSQILP DPSKPSKRSE
801 IEDLLFNKVT LADAGFIKQY GDCLGDIAAR DLICAQKFNG LTVLPPLD
851 EMIAQYTSAL LAGTITSGWT FGAGAALQIP FAMQMAYRFN GIGVTQNVLY
901 ENQKLIANQF NSAIGKIQDS LSSTASALGK LQDVVNQNAQ ALNTLVKQLS
951 SNFGAISSVL NDILSRLDPP EAEVQIDRLI TGRLOSLQTY VTQQLIRAAE
1001 IRASANLAAT KMSECVLGQS KRVDFCGKGY HLMSFPQSAP HGVVFLHVTY
1051 VPAQEKNFTE APAICHGKA HFPREGVFVS NGTHWFVTQR NFEYEQIITT
1101 DNTEVSGNCD VVIGIVNNTV YDPLQPELDS FKEELDKYFK NHTSPDVDLG
1151 DISGINASVV NIQKEIDRLN EVAKNLNESL IDLQELGKYE QYIKWPSGR
1201 VPRGSPGSGY IPEAPRDGQA YVRKDGWV LSTFLGHHHH HH
    
```

Spike ectodomain – **Residues 1 to 1196** (represents WT amino acid residues 15 to 1213)

RRAR to A substitution of S1/S2 cleavage site – Residue 671

KV to PP stabilizing mutations – Residues 969 and 970

Thrombin cleavage site – Residues 1200 to 1205

T4 foldon trimerization domain – Residues 1206 to 1236

Hexa-histidine tag – Residues 1237 to 1242