

**Diagnostic Plasmid Containing the Small Subunit Ribosomal RNA Gene (18S) from *Plasmodium malariae***

**Catalog No. MRA-179**

**For research use only. Not for human use.**

**Contributor:**

Peter A. Zimmerman, Ph.D., Assistant Professor, Department of Medicine/Geographic Medicine, School of Medicine, Case Western Reserve University, Cleveland, Ohio, USA

**Manufacturer:**

BEI Resources

**Product Description:**

The small subunit ribosomal RNA gene (18S rRNA gene; GenBank: [AF145336](#)) from *Plasmodium malariae* was amplified from genomic DNA by nest 1 PCR primers and cloned into vector pCR2.1-TOPO (Invitrogen®).<sup>1,2</sup> The resulting plasmid (clone 34) may be used in PCR assays for the diagnosis of mixed species malaria infections.<sup>1</sup> MRA-179 was produced in One Shot® TOP10 chemically competent *Escherichia coli* (Invitrogen™) and extracted using a QIAGEN® QIAprep® Spin Miniprep Kit.

The resulting size of the plasmid is approximately 5100 base pairs and contains the genes required for ampicillin and kanamycin resistance. The complete plasmid sequence is provided on the Certificate of Analysis.

**Material Provided:**

Each vial of MRA-179 contains approximately 500 ng of plasmid DNA in 10 mM Tris-HCl (pH 8). The concentration is shown on the Certificate of Analysis. The vial should be centrifuged prior to opening.

**Packaging/Storage:**

MRA-179 was packaged aseptically in screw-capped plastic cryovials. The product is provided frozen on dry ice and should be stored at -20°C or colder immediately upon arrival. Freeze-thaw cycles should be minimized.

**Citation:**

Acknowledgment for publications should read “The following reagent was obtained through BEI Resources, NIAID, NIH: Diagnostic Plasmid Containing the Small Subunit Ribosomal RNA Gene (18S) from *Plasmodium malariae*, MRA-179, contributed by Peter A. Zimmerman.”

**Biosafety Level: 1**

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the following

publication: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and National Institutes of Health. Biosafety in Microbiological and Biomedical Laboratories. 5th ed. Washington, DC: U.S. Government Printing Office, 2009; see [www.cdc.gov/biosafety/publications/bmbl5/index.htm](http://www.cdc.gov/biosafety/publications/bmbl5/index.htm).

**Disclaimers:**

You are authorized to use this product for research use only. It is not intended for human use.

Use of this product is subject to the terms and conditions of the BEI Resources Material Transfer Agreement (MTA). The MTA is available on our Web site at [www.beiresources.org](http://www.beiresources.org).

While BEI Resources uses reasonable efforts to include accurate and up-to-date information on this product sheet, neither ATCC® nor the U.S. Government makes any warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. Neither ATCC® nor the U.S. Government warrants that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, use and disposal. ATCC® and the U.S. Government are not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, the U.S. Government, ATCC®, their suppliers and contributors to BEI Resources are not liable for damages arising from the misidentification or misrepresentation of products.

**Use Restrictions:**

**This material is distributed for internal research, non-commercial purposes only.** This material, its product or its derivatives may not be distributed to third parties. Except as performed under a U.S. Government contract, individuals contemplating commercial use of the material, its products or its derivatives must contact the contributor to determine if a license is required. U.S. Government contractors may need a license before first commercial sale.

**References:**

1. Mehlotra, R. K., et al. “Random Distribution of Mixed Species Malaria Infections in Papua New Guinea.” Am. J. Trop. Med. Hyg. 62 (2000): 225-231. PubMed: 10813477.
2. Zimmerman, P. A., Personal Communication.

ATCC® is a trademark of the American Type Culture Collection.

