

## Certificate of Analysis for NR-52420

## Vector pcDNA3.1(-) Containing the SARS-Related Coronavirus 2, Wuhan-Hu-1 Spike Glycoprotein Gene

Catalog No. NR-52420

## **Product Description:**

NR-52420 expresses the full-length, unmodified S glycoprotein, and is intended for producing pseudotyped particles/pseudovirions or cell surface protein expression. NR-52420 is not intended for recombinant soluble protein expression. The vector for the spike (S) glycoprotein gene from severe acute respiratory syndrome-related coronavirus 2 (SARS-CoV-2), Wuhan-Hu-1 (GenBank: MN908947) was designed by codon optimizing the full-length S sequence for mammalian expression and subcloning into the pcDNA™3.1(-) mammalian expression vector. NR-52420 contains the beta-lactamase gene, TEM-116, to provide transformant selection through ampicillin resistance in *Escherichia coli* (E. coli), and a neomycin (G418) selectable marker for mammalian expression. The deposited plasmid was transformed into One Shot™ TOP10 *E. coli* (Invitrogen™ C404010), grown in Luria-Bertani broth with ampicillin (50 µg per mL) for 1 day at 37°C in an aerobic atmosphere, extracted using a Plasmid *Plus* Maxi Kit (QIAGEN® 12963) and vialed in TE buffer (10 mM Tris-HCl, 1 mM EDTA, pH 8.0).

Lot: 70035169 Manufacturing Date: 21APR2020

TEST	SPECIFICATIONS	RESULTS
Next-Generation DNA Sequencing	Report results	9229 base pairs <sup>1</sup>
Genotypic Analysis Sequencing of S glycoprotein insert (~ 3800 base pairs)	Report results	100% sequence identity to depositor's sequence <sup>2</sup>
Antibiotic Resistance Ampicillin (encoded by beta-lactamase gene TEM-116) <sup>3</sup> Neomycin [encoded by aminoglycoside 3' phosphotransferase gene aph(3')-II]	TEM-116 sequence present aph(3')-II sequence present	TEM-116 sequence present aph(3')-II sequence present
Concentration by PicoGreen® Measurement	Report results	0.2 μg in 20 μL per vial (11 μg/mL)
Amount per Vial	Report results	0.2 μg per vial
OD <sub>260</sub> /OD <sub>280</sub> Ratio (pre-vial)	1.7 to 2.1	1.9
Effective Bacterial Transformation Invitrogen™ One Shot™ TOP10 <i>E. coli</i>	≥ 50 colonies per ng	78 colonies per ng

<sup>&</sup>lt;sup>1</sup>The sequence was assembled pre-vial using the depositor's predicted sequence as the reference sequence. The complete plasmid sequence and map are provided on the BEI Resources webpage.

/Heather Couch/

Heather Couch 24 AUG 2020

Program Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: <a href="mailto:contact@beiresources.org">contact@beiresources.org</a>
Tel: 800-359-7370

Tel: 800-359-7370 Fax: 703-365-2898

NR-52420\_70035169\_24AUG2020

<sup>&</sup>lt;sup>2</sup>The NR-52420 insert was codon optimized for mammalian expression but has a 100% amino acid identity with the SARS-CoV-2, Wuhan-Hu-1 S protein (GenPept: QHD43416).

<sup>&</sup>lt;sup>3</sup>The antibiotic ampicillin degrades quickly during growth. Bacterial stationary phase should be minimized during plasmid replication to avoid plasmid loss and increased antibiotic concentrations may be necessary.