

Certificate of Analysis for NR-52357

Enterovirus Species D Type 68, USA/2018-23216 (produced in serum-free A549 cells)

Catalog No. NR-52357

This reagent is the property of the U.S. Government.

Product Description:

Enterovirus species D type 68 (EV-D68), USA/2018-23216 was isolated in 2018 from a nasopharyngeal swab of a human subject in New York, USA. The human subject was suffering from acute flaccid myelitis. NR-52357 lot 70035464 was produced by infecting serum-free-adapted human lung carcinoma cells (A549; BEI Resources NR-52268) with the deposited material and incubating in PC-1™ Serum-Free Media (Lonza™ 344018) supplemented with 2% PC-1™ Supplement A (Lonza™ 344022) and 4 mM L-glutamine (ATCC® 30-2214™) for 2 days at 33°C and 5% CO₂.

Passage History:

RD(4)/A(2) (Prior to deposit at BEI Resources/BEI Resources); RD = Rhabdomyosarcoma cells; A = Serum-free-adapted A549 cells

Lot: 70035464 Manufacturing Date: 23MAY2020

TEST	SPECIFICATIONS	RESULTS	
Identification by Infectivity in A549 Cells	Cell rounding and detachment	Cell rounding and detachment	
Next-Generation Sequencing (NGS) of Complete Genome Using Illumina® iSeq™ 100 Platform (Refer to Appendix I for NGS information)	≥ 98% identity with EV-D68, USA/2018-23216 (GenBank: MN246009.1) ≥ 98% identity with EV-D68, USA/2018-23216 (GenBank: MN389733.1)	99.92% identity with EV-D68, USA/2018-23216 (GenBank: MN246009.1) 99.93% identity with EV-D68, USA/2018-23216 (GenBank: MN389733.1)	
Sequencing of Species-Specific Region (~ 810 nucleotides) (~ 810 nucleotides)	≥ 98% identity with EV-D68, USA/2018-23216 (GenBank: MN246009.1) ≥ 98% identity with EV-D68, USA/2018-23216 (GenBank: MN389733.1)	99.8% identity with EV-D68, USA/2018-23216 (GenBank: MN246009.1) 99.9% identity with EV-D68, USA/2018-23216 (GenBank: MN389733.1)	
Titer by TCID ₅₀ Assay in A549 Cells by Cytopathic Effect ¹ (6 days at 33°C and 5% CO ₂)	Report results	2.8 × 10 ⁶ TCID ₅₀ per mL	
Amplification of EV-D68 Sequence by RT-PCR	~ 1100 base pair amplicon	~ 1100 base pair amplicon	
Sterility (21-day incubation) Harpo's HTYE broth, 37°C and 26°C, aerobic² Trypticase Soy broth, 37°C and 26°C, aerobic Sabouraud broth, 37°C and 26°C, aerobic Sheep blood agar, 37°C, aerobic Sheep blood agar, 37°C, anaerobic Thioglycollate broth, 37°C, anaerobic DMEM with 10% FBS, 37°C, aerobic	No growth	No growth	
Mycoplasma Contamination Agar and broth culture (14-day incubation at 37°C) DNA detection by PCR of extracted Test Article nucleic acid	None detected None detected	None detected None detected	

¹The Tissue Culture Infectious Dose 50% (TCID₅₀) endpoint is the 50% infectious endpoint in cell culture. The TCID₅₀ is the dilution of virus that under the conditions of the assay can be expected to infect 50% of the culture vessels inoculated, just as a Lethal Dose 50% (LD₅₀) is expected to kill half of the animals exposed. A reciprocal of the dilution required to yield the TCID₅₀ provides a measure of the titer (or infectivity) of a virus preparation. ²Atlas, Ronald M. <u>Handbook of Microbiological Media</u>. 3rd ed. Ed. Lawrence C. Parks. Boca Raton: CRC Press, 2004, p. 798.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org
Tel: 800-359-7370

Tel: 800-359-7370 Fax: 703-365-2898



Certificate of Analysis for NR-52357

/Heather Couch/ Heather Couch

08 SEP 2020

Program Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection. You are authorized to use this product for research use only. It is not intended for human use.

Support Provided by NIAID

APPENDIX I: NGS Information for NR-52357 lot 70035464

Sequence analysis resulted in the discovery of six SNPs when compared to reference sequence GenBank MN246009.1 (see Table below). Quality scores over 60 indicate it is improbable that the variant call is incorrect.

Position in NR-52357_ 70035464 Sequence	Position in MN246009.1	Reported MN246009.1 Sequence	Identified Alternative Base	Quality	Variant Type	Length of Variant	Frequency of Variant
1900	1902	Α	G	221	SNP	1	0.8027831
3188	3190	Α	G	221	SNP	1	0.7174321
3190	3192	G	A	219	SNP	1	0.1584022
3523	3525	Α	G	165	SNP	1	0.1887367
6831	6833	С	Т	217	SNP	1	0.2120504
7300	7312	Т	С	225	SNP	1	1.0000000

Sequence analysis resulted in the discovery of five SNPs when compared to reference sequence GenBank MN389733.1 (see Table below). Quality scores over 60 indicate it is improbable that the variant call is incorrect.

Position in NR-52357_ 70035464 Sequence	Position in MN389733.1	Reported MN389733.1 Sequence	Identified Alternative Base	Quality	Variant Type	Length of Variant	Frequency of Variant
1900	1910	G	A	192	SNP	1	0.1921606
3188	3198	G	Α	221	SNP	1	0.2765559
3190	3200	G	A	94	SNP	1	0.1560773
3523	3533	Α	G	106	SNP	1	0.1887367
6831	6841	С	Т	193	SNP	1	0.2120504

BEI Resources www.beiresources.org E-mail: contact@beiresources.org
Tel: 800-359-7370

Tel: 800-359-7370 Fax: 703-365-2898