

Certificate of Analysis for NR-52969

Vector pLVX-EF1 α -IRES-Puro Containing the SARS-Related Coronavirus 2, USA-WA1/2020 Open Reading Frame 6 Gene

Catalog No. NR-52969

Product Description:

Note: The vial label indicates this product contains a TST tag. This nomenclature refers to a 2X Strep tag. This product does not express the Twin-Strep-tag® that is commonly referred to as a TST tag. The open reading frame 6 (orf6) gene from severe acute respiratory syndrome-related coronavirus 2 (SARS-CoV-2), USA-WA1/2020 (GenBank: MN985325) was codon optimized and modified by the addition of a C-terminal 2X Strep tag and cloned into the pLVX-EF1α-IRES-Puro lentiviral expression plasmid. The vector contains an internal ribosomal entry site (IRES) that allows a gene-of-interest and a puromycin resistance gene to be simultaneously co-expressed from a single mRNA transcript. Expression of the transcript is driven by the human elongation factor 1 alpha (EF1α) promoter. The beta-lactamase gene, bla, provides transformant selection through ampicillin resistance in Escherichia coli (E. coli) and the puromycin resistance gene, pac, provides transformant selection through puromycin resistance in eukaryotic cells. The deposited plasmid was transformed into NEB® Stable Competent E. coli cells (New England Biolabs® C3040H), grown in Luria-Bertani broth with ampicillin (100 μg per mL) for 1 day at 30°C in an aerobic atmosphere, extracted using a Plasmid Plus Maxi Kit (QIAGEN® 12963) and vialed in TE buffer (10 mM Tris-HCl, 1 mM EDTA, pH 8.0).

Lot: 70037923 Manufacturing Date: 05AUG2020

TEST	SPECIFICATIONS	RESULTS
Next-Generation DNA Sequencing	~ 9100 base pairs	9096 base pairs ¹
Genotypic Analysis Sequencing of orf6 insert (~ 180 base pairs)	≥ 99% sequence identity to depositor's sequence 2X Strep tag sequence confirmed	100% sequence identity to depositor's sequence ² 2X Strep tag sequence confirmed ³
Antibiotic Resistance Ampicillin (encoded by beta-lactamase gene bla) ⁴ Puromycin (encoded by puromycin n-acetyltransferase gene pac)	bla sequence present pac sequence present	bla sequence present pac sequence present
Concentration by PicoGreen® Measurement	≥ 2 µg/mL	0.4 μg in 20 μL per vial (18 μg/mL)
Amount per Vial	Report results	0.4 μg per vial
OD ₂₆₀ /OD ₂₈₀ Ratio (pre-vial)	1.7 to 2.1	1.9
Effective Bacterial Transformation NEB® Stable Competent <i>E. coli</i>	≥ 50 colonies per ng	147 colonies per ng

¹The sequence was assembled pre-vial using the predicted sequence as the reference sequence. The complete plasmid sequence and map are provided on the BEI Resources webpage.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org Tel: 800-359-7370

Fax: 703-365-2898

²The NR-52969 insert was codon optimized but is 100% identical with the SARS-CoV-2, USA-WA1/2020 ORF6 protein (GenPept: QHO60598.1).

³This 2X Strep tag is defined by the sequence N-WSHPQFEKGGSGGGSGGGSWSHPQFEK-C. For more information, please see Busby, M., et al. "Optimisation of a Multivalent Strep Tag for Protein Detection." <u>Biophys. Chem.</u> 152 (2010): 170-177. PubMed: 20970240.

⁴The antibiotic ampicillin degrades quickly during growth. Bacterial stationary phase should be minimized during plasmid expansion to avoid plasmid loss and increased antibiotic concentrations may be necessary.



Certificate of Analysis for NR-52969

/Heather Couch/ Heather Couch

16 NOV 2020

Program Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by ATCC® and the contributor to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org
Tel: 800-359-7370

Fax: 703-365-2898