



NIH AIDS Reagent Program
20301 Century Boulevard
Building 6, Suite 200
Germantown, MD 20874
USA

Phone: 240 686 4740
Fax: 301 515 4015
aidsreagent.org

DATA SHEET

Reagent: HIV-1 NL4-3 BaL Infectious Molecular Clone (p81A-4)

Catalog Number: 11440

Lot Number: 070578

Release Category: C

Provided: 5 µg of dried purified DNA stabilized in DNASTable *PLUS*

Cloning Vector: pUC18

Host Strain: Plasmids can be propagated in STBL2 cells and grown at 37°C. Larger plasmids may benefit from growth at 30°C. This construct may also be grown in other competent cells.

Description: This clone is a full length HIV-1 infectious molecular clone containing the V1-V3 envelope regions of Ba-L in an NL4-3 background. The vector encodes beta-lactamase. Cloning is described in *Virology* **213**:70-79, 1995.

Special Characteristics: This clone was used in conjunction with clones p21-85 (cat#11441), p20-36 (Cat#11442), and p49-5 (cat#11389) to analyze the effects of the V1 and V2 envelope regions on entry and spread in macrophages (*Virology* **213**:70-79, 1995; *J. Virol.* **79**:4828-4837, 2005). Vector size: Size of vector and insert is: 13,672 bp.

[Sequence file lot 070578](#)

This reagent is currently being provided as dried purified DNA stabilized in DNASTable *PLUS*. Please see the notice for additional information and the protocol for reconstitution of dried DNA reagents. [Dried DNA Notice](#)

Recommended Storage: Keep the reagent at room temperature in a dry storage cabinet or in a moisture barrier bag.

Contributor: Dr. Bruce Chesebro

ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.

References:

Toohey K, Wehrly K, Nishio J, Perryman S, Chesebro B. Human immunodeficiency virus envelope V1 and V2 regions influence replication efficiency in macrophages by affecting virus spread. *Virology*. **213**:70-9, 1995. [\[Abstract\]](#) [\[PDF\]](#)

B Chesebro, J Nishio, S Perryman, A Cann, W O'Brien, I S Chen, and K Wehrly. Identification of human immunodeficiency virus envelope gene sequences influencing viral entry into CD4-positive HeLa cells, T-leukemia cells, and macrophages. *J. Virol.* **65**: 5782-5789, 1991. [\[Abstract\]](#) [\[PDF\]](#)

B Chesebro, K Wehrly, J Nishio, and S Perryman. Macrophage-tropic human immunodeficiency virus isolates from different patients exhibit unusual V3 envelope sequence homogeneity in comparison with T-cell-tropic isolates: definition of critical amino acids involved in cell tropism. *J. Virol.* **66**: 6547-6554, 1992 . [\[Abstract\]](#) [\[PDF\]](#)

Brandon L. Walter, Kathy Wehrly, Ronald Swanstrom, Emily Platt, David Kabat, and Bruce Chesebro. Role of Low CD4 Levels in the Influence of Human Immunodeficiency Virus Type 1 Envelope V1 and V2 Regions on Entry and Spread in Macrophages. *J. Virol.* **79**: 4828-4837, 2005. [\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)

NOTE:

Acknowledgment for publications should read "The following reagent was obtained through the NIH AIDS Reagent Program, Division of AIDS, NIAID, NIH: HIV-1 NL4-3 BaL Infectious Molecular Clone (p81A-4) (Cat#11440) from Dr. Bruce Chesebro." Also include the references cited above in any publications.

Scientists at for-profit institutions or who intend commercial use of this reagent must contact Dr. Bruce Chesebro at email address bchesebro@niaid.nih.gov and specify in the email the name of the reagent and a description of the intended use of the reagent.

Last Updated:

October 22, 2018

ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.