



NIH AIDS Reagent Program

20301 Century Boulevard
Building 6, Suite 200
Germantown, MD 20874
USA

Phone: 240 686 4740
Fax: 301 515 4015
aidsreagent.org

DATA SHEET

Reagent:	pTHRO.c/2626
Catalog Number:	11745
Lot Number:	150261
Release Category:	C
Provided:	5 µg of dried purified DNA stabilized in DNASTable <i>Plus</i>
Cloning Vector:	pCR-XL-TOPO
Description:	A full-length transmitted/founder (T/F) HIV-1 subtype B infectious molecular clone (IMC).
Special Characteristics:	<p>Single genome amplicons generated from single genome amplification (SGA) of plasma viral RNA or proviral DNA were used to construct ten subtype B T/F IMCs.</p> <p>Plasmid map and sequence file</p> <p>This clone is part of the Panel of Full-Length Transmitted/Founder (T/F) HIV-1 Infectious Molecular Clones (IMCs), cat# 11919. See table for clone details and sequence files.</p> <p>Table.1 Panel of HIV-1 Infectious Molecular Clones (IMC).</p> <p>This reagent is currently being provided as dried purified DNA stabilized in DNASTable <i>Plus</i>. Please see the notice for additional information and the protocol for reconstitution of dried DNA reagents. Dried DNA Notice</p>
Recommended Storage:	Keep the reagent at room temperature in a dry storage cabinet or in a moisture barrier bag.
Contributor:	Dr. John Kappes and Dr. Christina Ochsenbauer

ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.

References:

1. Keele, B.F., E.E. Giorgi, J.F. Salazar-Gonzalez, J.M. Decker, K.T. Pham, M.G. Salazar, C. Sun, T. Grayson, S. Wang, H. Li, et al. Identification and characterization of transmitted and early founder virus envelopes in primary HIV-1 infection. Proc. Natl. Acad. Sci. USA. 105:7552, 2008. [Abstract](#)
2. Salazar-Gonzalez F, M. Salazar, B.F. Keele, G.H. Learn, J.M. Decker, S. Wang, J. Baalwe, M. Kraus, B. Guffey, C. Ochsenbauer, J.C. Kappes, M. Saag, et al. Genetic identity, biological phenotype, and evolutionary pathways of transmitted/founder viruses in acute and early HIV-1 infection. J. Exp. Med. 206:1273, 2009. [Abstract](#)
3. Salazar-Gonzalez, J.F., E. Bailes, K.T. Pham, M.G. Salazar, M.B. Guffey, B.F. Keele, C.A. Derdeyn, P. Farmer, E. Hunter, S. Allen, et al. 2008. Deciphering human immunodeficiency virus type 1 transmission and early envelope diversification by single-genome amplification and sequencing. J. Virol. 82:3952–3970 [Abstract](#)
4. Lee H.Y., E.E. Giorgi, B.F. Keele, B. Gaschen, G.S. Athreya, J.F. Salazar-Gonzalez, K.T. Pham, P.A. Goepfert, J.M. Kilby, M.S. Saag, E.L. Delwart, et al. Modeling sequence evolution in acute HIV-1 infection. J. Theor. Biol. 261:341, 2009. [Abstract](#)
5. Ochsenbauer C, Edmonds TG, Ding H, Keele BF, Decker J, Salazar MG, Salazar-Gonzalez JF, Shattock R, Haynes BF, Shaw GM, Hahn BH, Kappes JC. Generation of transmitted/founder HIV-1 infectious molecular clones and characterization of their replication capacity in CD4 T lymphocytes and monocyte-derived macrophages. J Virol. 2012 Mar;86(5):2715-28. [Abstract](#)

NOTE:

Acknowledgment for publications should read "The following reagent was obtained through the NIH AIDS Reagent Program, Division of AIDS, NIAID, NIH: pTHRO.c/2626 (cat# 11745) from Dr. John Kappes and Dr. Christina Ochsenbauer." Also include the references cited above in any publications.

Scientists at for-profit institutions or who intend commercial use of this reagent must contact Hayes A. Lowe, J.D., UAB Research Foundation, The Office of Intellectual Property Management, AB 1120G, 1530 3rd Ave. S, Birmingham AL 35294-0111, Tel: 205-975-0843 Fax: 205-934-5427, email: halowe@uab.edu, before the reagent can be released.

Last Updated:

June 21, 2018

ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.