

NIH AIDS Reagent Program

20301 Century Boulevard Building 6, Suite 200 Germantown, MD 20874 USA Phone: 240 686 4740 Fax: 301 515 4015 aidsreagent.org

DATA SHEET

Reagent: HIV-1 Z3618M T/F Infectious Molecular Clone

Catalog Number: 13262

Lot Number: 180030

Release Category: C

Provided: 5 μg of dried purified DNA stabilized in DNAstable *Plus*

Cloning Vector: pBluescript

Ampicillin resistant

Cloning Site: Ligation independent cloning

The size of the insert is 9,070 bp.

GenBank: KR820366

Host Strain: Plasmids can be propagated in STBL2 cells and grown at 37°C. Larger plasmids may

benefit from growth at 30°C.

Description: A full length transmitted/founder (T/F) replication competent, infectious HIV-1 subtype C

Z3618M molecular clone.

Special This construct is 12,894 bp including the insert. **Characteristics:**

The source of this molecular clone is derived from an acutely infected subject from

Zambia. This clone can be used for in vitro replication studies.

Transfection of 293T cells produces infectious, subtype C HIV-1 corresponding to the

putative transmitted founder virus for this Zambian heterosexual pair.

Contributor provided sequence file

This reagent is currently being provided as dried purified DNA stabilized in DNAstable

ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.

REV: 03/16/2018 Page 1 of 2

Plus. Please see the notice for additional information and the protocol for reconstitution of dried DNA reagents. <u>Dried DNA Notice</u>

Recommended Storage:

Keep the reagent at room temperature in a dry storage cabinet or in a moisture barrier

bag.

Contributor:

Dr. Eric Hunter

References:

M. J. Deymier, D. T. Claiborne, Z. Ende, H. K. Ratner, W. Kilembe, S. Allen and E. Hunter. (2014). Particle infectivity of HIV-1 full-length genome infectious molecular clones in a subtype C heterosexual transmission pair following high fidelity amplification and unbiased cloning. Virology, 468-470, 454-61. doi:10.1016/j.virol.2014.08.018

M. J. Deymier, Z. Ende, A. E. Fenton-May, D. A. Dilernia, W. Kilembe, S. A. Allen, P. Borrow and E. Hunter. (2015). Heterosexual Transmission of Subtype C HIV-1 Selects

Consensus-Like Variants without Increased Replicative Capacity or Interferon-alpha Resistance. PLoS Pathog, 11(9), e1005154. doi:10.1371/journal.ppat.1005154 PUBMED

NOTE:

Acknowledgement for publications should read "The following reagent was obtained through the NIH AIDS Reagent Program, Division of AIDS, NIAID, NIH: HIV-1 Z3618M T/F Infectious Molecular Clone from Dr. Eric Hunter (cat# 13262)." Also include the references cited above in any publications.

Scientists at for-profit institutions or who intend commercial use of this reagent must contact the Emory University Office of Technology Transfer, Email: ott-mta@emory.edu, before the reagent can be released. Please specify

the name and a description of the intended use of the reagent.

Last Updated: March 16, 2018

ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.

REV: 03/16/2018 Page 2 of 2