

NIH AIDS Reagent Program

20301 Century Boulevard Building 6, Suite 200 Germantown, MD 20874 USA Phone: 240 686 4740 Fax: 301 515 4015 aidsreagent.org

DATA SHEET

Reagent: HIV-1 LTR CAT Reporter Vector (pCD16)

Catalog Number: 1523

Lot Number: 96106

Release Category: C

Provided: 1 vial of ampicillin-resistant transformed DH5-a. Also grows in HB101.

Cloning Vector: pC15CAT (Catalog #1527), a derivative of pSV0CAT.

Cloning Site: HindIII.

Description: The 5' end of the HIV LTR to position -176 from the transcriptional start site is deleted.

Clone pC15CAT was cleaved with KpnI , then treated with $\mathit{Bal}31$ exonuclease, blunted and the XbaI linkers ligated. The resultant deletion mutant, pCD16, contains HIV-1 $_{\rm IIIB}$

LTR sequences from -176 to +80 located in front of the CAT gene.

Special

Characteristics:

The 5' end of the HIV LTR to position -176 from the transcriptional start site is deleted.

Recommended

Storage:

-70°C

Contributor: Dr. Steven F. Josephs.

References: Gorman CM, Moffat LF, Howard BH. Recombinant genomes which express

chloramphenicol acetyltransferase in mammalian cells. Mol Cell Biol 2:1044-1051, 1982.

Arya SK, Guo C, Josephs SF, Wong-Staal F. Trans-activator gene of human T-lymphotropic virus type III (HTLV-III). *Science* **229**:69-73, 1985.

Seikevitz M, Josephs, SF, Dukovich M, Peffer N, Wong-Staal F, Greene WC. Activation of the HIV-1 LTR by T cell mitogens and the trans-activator protein of HTLV-I. Science

ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.

REV: 09/05/2018 Page 1 of 2

238:15/5-15/8, 198/.

Chang KS, Liu WT, Josephs SF. Regulation of cellular trans-activating activities in two different promonocytic leukemia cell lines. *Cancer Lett* **60**:75-83, 1991.

Seigel LJ, Ratner L, Josephs SF, Derse D, Feinberg M, Reyes G, O'Brien SJ, Wong-Staal F. Transactivation induced by human T-lymphotropic virus type III (HTLV III) maps to a viral sequence encoding 58 amino acids and lacks tissue specificity. *Virology* **148**:226-231.

NOTE:

Acknowledgment for publications should read "The following reagent was obtained through the NIH AIDS Reagent Program, Division of AIDS, NIAID, NIH: HIV-1 LTR CAT Reporter Vector (pCD16) from Dr. Steven Josephs (cat# 1523)." Also include the reference cited above in any publications.

Scientists at for-profit institutions or who intend commercial use of Release Category C Reagents (Cat#1523) must contact Dr. Brian W. Bailey, NIAID Office of Technology Development, 6610 Rockledge Drive, Room 4036, MSC 6606, Bethesda, MD 20892-6606, Email: bbailey@mail.nih.gov, Tel: 301-594-1697, Fax: 301-402-7123, before the reagent can be released.

Last Updated

September 05, 2018

ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.

REV: 09/05/2018 Page 2 of 2