



## NIH AIDS Reagent Program

20301 Century Boulevard  
Building 6, Suite 200  
Germantown, MD 20874  
USA

Phone: 240 686 4740  
Fax: 301 515 4015  
aidsreagent.org

### DATA SHEET

**Reagent:** HIV-1 LTR CAT Reporter Vector (pCD12)

**Catalog Number:** 1524

**Lot Number:** 96104

**Release Category:** C

**Provided:** 1 vial of ampicillin-resistant transformed DH5-a. Also grows in HB101.

**Cloning Vector:** pC15CAT (Catalog #1527), a derivative of pSV0CAT.

**Cloning Site:** HindIII.

**Description:** Deletion at -670D (CAT gene KpnI site). LTR-directed gene expression is enhanced compared to that of the full-length LTR.  
  
Clone pC15CAT was cleaved with *KpnI*, treated with *BaI*31 exonuclease, blunted and the *XbaI* linkers ligated. Clone pCD12 contains a small deletion in the CAT gene *KpnI* site.

**Special Characteristics:** LTR-directed gene expression is enhanced compared to that of the full-length LTR.

**Recommended Storage:** -70°C

**Contributor:** Dr. Steven F. Josephs.

**References:** Gorman CM, Moffat LF, Howard BH. Recombinant genomes which express chloramphenicol acetyltransferase in mammalian cells. *Mol Cell Biol* **2**:1044-1051, 1982.  
  
Arya SK, Guo C, Josephs SF, Wong-Staal F. Trans-activator gene of human T-lymphotropic virus type III (HTLV-III). *Science* **229**:69-73, 1985.  
  
Seikevitz M, Josephs SF, Dukovich M, Peffer N, Wong-Staal F, Greene WC. Activation of the HIV-1 LTR by T cell mitogens and the trans-activator protein of HTLV-I. *Science*

---

ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.

**238**:15/5-15/8, 1987.

Chang KS, Liu WT, Josephs SF. Regulation of cellular trans-activating activities in two different promonocytic leukemia cell lines. *Cancer Lett* **60**:75-83, 1991.

Seigel LJ, Ratner L, Josephs SF, Derse D, Feinberg M, Reyes G, O'Brien SJ, Wong-Staal F. Transactivation induced by human T-lymphotropic virus type III (HTLV III) maps to a viral sequence encoding 58 amino acids and lacks tissue specificity. *Virology* **148**:226-231.

**NOTE:**

Acknowledgment for publications should read "The following reagent was obtained through the NIH AIDS Reagent Program, Division of AIDS, NIAID, NIH: HIV-1 LTR CAT Reporter Vector (pCD12) from Dr. Steven Josephs (cat# 1524)." Also include the reference cited above in any publications.

**Scientists at for-profit institutions or who intend commercial use of Release Category C Reagents (Cat# 1524) must contact Dr. Brian W. Bailey, NIAID Office of Technology Development, 6610 Rockledge Drive, Room 4036, MSC 6606, Bethesda, MD 20892-6606, Email: bbailey@mail.nih.gov, Tel: 301-594-1697, Fax: 301-402-7123, before the reagent can be released.**

**Last Updated**

September 05, 2018

---

ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.