



NIH AIDS Reagent Program

20301 Century Boulevard
Building 6, Suite 200
Germantown, MD 20874
USA

Phone: 240 686 4740
Fax: 301 515 4015
aidsreagent.org

DATA SHEET

Reagent: PCR Standards 1 Copy

Catalog Number: 4676

Lot Number: 00080

Provided: Each standard provided as 500 μ l/vial of HIV-1_{Z6} DNA. Samples are in 5.6 mM Tris HCl, 4.4 mM Tris base, 0.05% sodium azide 0.1 mM EDTA, 5 mg/liter calf thymus DNA. Use 50 μ l of each sample per reaction.

Special Characteristics: 1 copy/50 μ l

Recommended Storage: -70°C.

Contributor: Dr. Shirley Kwok and Dr. Cindy Christopherson, Roche Molecular Systems.

References: Hart C, Chant S-Y, Kwok S, Sninsky J, Ou C-Y, Schochetman G. A replication-deficient HIV-1 DNA used for quantitation of the polymerase chain reaction (PCR). *Nucleic Acids Research* **18**:4029-4030, 1990.

NOTE: Acknowledgment for publications should read "The following reagent was obtained through the NIH AIDS Reagent Program, DAIDS, NIAID, NIH: PCR Panel 001 from Dr. Shirley Kwok and Dr. Cindy Christopherson, Roche Molecular Systems." Also include the reference cited above in any publications.

Last Updated: October 27, 2015

ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.