

NIH AIDS Reagent Program

20301 Century Boulevard Building 6, Suite 200 Germantown, MD 20874 USA

Phone: 240 686 4740 Fax: 301 515 4015 aidsreagent.org

DATA SHEET

Reagent: H9 Cells

Catalog Number: 87

Lot Number: 140315

С **Release Category:**

 4.4×10^6 cells/mL. Viability is 60%. Post-thaw viability is low, but the cells recover Provided:

Cell Type: Single cell clone derived from a specific HUT 78 cell line, HT. HUT 78 is a human

cutaneous T cell lymphoma derived from the peripheral blood of a patient with

Sezary syndrome.

Propagation RPMI 1640, supplemented with 2 mM L-glutamine and 50 μg/ml gentamicin, 90%;

Medium: fetal bovine serum, 10%.

Freeze Medium: RPMI 1640, 80%; fetal bovine serum, 10%; DMSO, 10%.

Maintain H9 cells at 1 x 10^5 - 1 x 10^6 cells/ml. Split 1:2-1:4 twice weekly. H9 grows Growth **Characteristics:**

as a single cell suspension with some clumping. Morphology is mature lymphocytic.

Sterility: Negative for mycoplasma, bacteria, and fungi.

This cell line was selected for high yield permissive growth with HIV-1. Special Characteristics:

Recommended

Storage:

Liquid nitrogen.

Contributor: Dr. Robert Gallo

ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.

REV: 11/02/2015 Page 1 of 2 References: Mann DL, O'Brien SJ, Gilbert DA, Reid Y, Popovic M, Read-Connole E, Gallo R, Gazdar A. Origin of the HIV-susceptible human CD4 $^+$ cell line H9. AIDS Res Hum

Retroviruses 5:253-255, 1989.

Popovic M, Read-Connole E, Gallo RC. T4 positive human neoplastic cell lines susceptible to and permissive for HTLV-III. Lancet ii: 1472-1473, 1984.

Popovic M, Sarngadharan MG, Read E, Gallo RC. Detection, isolation, and continuous production of cytopathic retroviruses (HTLV-III) from patients with AIDS and

pre-AIDS. Science 224:497-500, 1984.

NOTE: Acknowledgment for publications should read "The following reagent was obtained

through the NIH AIDS Reagent Program, Division of AIDS, NIAID, NIH: H9 from Dr.

Robert Gallo." Also include the references cited above in any publications.

The use of the H9 cell line and other neoplastic T cell lines to produce HIV-1

is described in U.S. Patent 4,520,113.

Last Updated November 02, 2015

ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.

REV: 11/02/2015 Page 2 of 2