



NIH AIDS Reagent Program

20301 Century Boulevard
Building 6, Suite 200
Germantown, MD 20874
USA

Phone: 240 686 4740
Fax: 301 515 4015
aidsreagent.org

DATA SHEET

Reagent:	NIH-3T3 Cells
Catalog Number:	9946
Lot Number:	120249
Release Category:	C
Provided:	3 x 10 ⁶ cells/vial, viability is 93%.
Cell Type:	Mouse fibroblast cell line.
Propagation Medium:	High glucose DMEM, 90%; fetal bovine serum, 10%.
Freeze Medium:	High glucose DMEM, 70%; fetal bovine serum, 20%; DMSO, 10%.
Growth Characteristics:	Adherent cell line, doubling time of approximately 20 hours.
Morphology:	Fibroblast.
Sterility:	Negative for mycoplasma, bacteria and fungi.
Special Characteristics:	Mouse fibroblast cell line used in deriving NIH 3T3/MX-DC-SIGN (Cat# 9947) and NIH 3T3MX-/L-SIGN (Cat# 9948) cells.
Recommended Storage:	Liquid nitrogen.
Contributor:	Drs. Thomas D. Martin and Vineet N. KewalRamani, HIV Drug Resistance Program, NCI.

ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.

References: Wu L, Martin TD, Vazeux R, Unutmaz D, KewalRamani VN. Functional evaluation of DC-SIGN monoclonal antibodies reveals DC-SIGN interactions with ICAM-3 do not promote human immunodeficiency virus type 1 transmission. *J Virol* **76**:5905-5914, 2002.

NOTE: Acknowledgment for publications should read "The following reagent was obtained through the NIH AIDS Reagent Program, Division of AIDS, NIAID, NIH: NIH-3T3 Cells from Drs. Thomas D. Martin and Vineet N. KewalRamani." Also include the reference cited above in any publications.

Last Updated August 31, 2017

ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.