

**Acinetobacter baumannii, Strain MRSN 11703**

**Catalog No. NR-52189**

This reagent is the tangible property of the U.S. Government.

**Product Description:**

*Acinetobacter baumannii* (*A. baumannii*), strain MRSN 11703 was isolated in in 2007 from a human wound sample in the United States as part of a global surveillance program. *A. baumannii*, strain MRSN 11703 was deposited as sensitive to ampicillin/sulbactam, colistin and imipenem, intermediately resistant to meropenem, and resistant to amikacin, cefepime, ceftazidime, ceftriaxone, ciprofloxacin, gentamicin, levofloxacin, tetracycline, tobramycin and trimethoprim/sulfamethoxazole. NR-52189 lot 70039040 was produced by inoculation of the deposited material into Tryptic Soy broth and grown for 1 day at 37°C in an aerobic atmosphere. Broth inoculum was added to Tryptic Soy agar kolles, which were grown for 1 day at 37°C in an aerobic atmosphere to produce this lot. Quality control testing was completed under propagation conditions unless otherwise noted.

**Lot: 70039040**

**Manufacturing Date: 10SEP2020**

BEI Resources is committed to ensuring digital accessibility for people with disabilities. This Certificate of Analysis contains complex tables and may not be fully accessible. Please let us know if you encounter accessibility barriers and a fully accessible document will be provided: E-mail: [Contact@BEIResources.org](mailto:Contact@BEIResources.org). We try to respond to feedback within 24 hours.

TEST	SPECIFICATIONS	RESULTS
<b>Phenotypic Analysis</b> Cellular morphology Colony morphology  Growth at 44°C ± 2°C <sup>1</sup> 1 day in an aerobic atmosphere on Tryptic Soy agar Motility Remel™ Motility Test Medium w/TTC Indicator for 1 day at 37°C in an aerobic atmosphere VITEK® MS (MALDI-TOF)	Gram-negative rods Report results  Growth  Report results  <i>A. baumannii</i>	Gram-negative rods Circular, convex, entire, smooth and cream (Figure 1) Growth  Non-motile  <i>A. baumannii</i> (99.9%)
<b>Antibiotic Susceptibility Profile<sup>2,3</sup></b> Amikacin Ampicillin/sulbactam Cefepime Ceftriaxone Ceftazidime Ciprofloxacin Colistin Gentamicin Imipenem Levofloxacin Meropenem Trimethoprim/sulfamethoxazole Tobramycin Tetracycline	Resistant Sensitive Resistant Resistant Resistant Resistant Sensitive Resistant Sensitive Resistant Intermediate Resistant Resistant Resistant	Resistant (> 256 µg/mL) Sensitive (4 µg/mL) Resistant (32 µg/mL) Resistant (≥ 32 µg/mL) Resistant (≥ 64 µg/mL) Resistant (≥ 4 µg/mL) Sensitive (≤ 0.25 µg/mL) Resistant (≥ 16 µg/mL) Sensitive (≤ 2 µg/mL) Resistant (8 µg/mL) Intermediate (2 to 4 µg/mL) <sup>4</sup> Resistant (> 4 µg/mL) Resistant (≥ 16 µg/mL) Resistant (> 256 µg/mL)
<b>Genotypic Analysis</b> Sequencing of 16S ribosomal RNA gene (~ 1140 base pairs)	≥ 99% sequence identity to <i>A. baumannii</i> , strain MRSN 11703 (GenBank: VHHH01000055.1)	100% sequence identity to <i>A. baumannii</i> , strain MRSN 11703 (GenBank: VHHH01000055.1)

TEST	SPECIFICATIONS	RESULTS
<b>Purity</b> 7 days at 37°C in an aerobic atmosphere with and without 5% CO <sub>2</sub> on Tryptic Soy agar	Growth consistent with expected colony morphology	Growth consistent with expected colony morphology
<b>Viability</b>	Growth	Growth

<sup>1</sup>Growth at 44°C differentiates *A. baumannii* from *A. calcoaceticus* and *A. pittii*, which do not grow at 44°C.

<sup>2</sup>Minimum Inhibitory Concentration (MIC); MIC Interpretation Guideline: CLSI M100-S28 (2018)

<sup>3</sup>Antibiotic susceptibility was tested using a combination of VITEK<sup>®</sup>2 GN82, Sensititre GNX2F AST and E-test strips.

<sup>4</sup>The susceptibility result for this antibiotic is within one doubling dilution of specification, which is considered an equivalent result.

Figure 1: Colony Morphology



/Heather Couch/

Heather Couch

Program Manager or designee, ATCC Federal Solutions

12 JAN 2022

ATCC<sup>®</sup>, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC<sup>®</sup>'s knowledge.

ATCC<sup>®</sup> is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

