

## **Certificate of Analysis for MRA-102G**

### Genomic DNA from Plasmodium falciparum, Strain 3D7

### Catalog No. MRA-102G

This reagent is the tangible property of the U.S. Government.

#### **Product Description:**

Genomic DNA was extracted from a preparation of *Plasmodium falciparum* (*P. falciparum*), strain 3D7

Lot: 70048117<sup>1,2,3</sup> Manufacturing Date: 25JAN2022

TEST	SPECIFICATIONS	RESULTS
Sequencing of Merozoite Surface Protein 2 (MSP2) gene (~ 770 base pairs)	≥ 99% sequence identity to  P. falciparum, strain 3D7  (GenBank: LN999943.1)	99.9% sequence identity to <i>P. falciparum</i> , strain 3D7 (GenBank: LN999943.1)
Agarose Gel Electrophoresis	High molecular weight chromosomal DNA	High molecular weight chromosomal DNA (Figure 1)
Concentration by PicoGreen® Measurement	Report results	~ 0.5 µg in 50 µL per vial (10 µg/mL)
Amount per Vial	Report results	~ 0.5 µg
Functional Activity by PCR Amplification MSP2 locus <sup>4</sup>	~ 600-900 base pair amplicon	~ 900 base pair amplicon
OD <sub>260</sub> /OD <sub>280</sub> Ratio	1.6 to 2.1	1.98
Protozoan Inactivation Human erythrocytes exposed to 10% of total yield of MRA-102G <sup>5,6</sup>	No parasitemia observed	No parasitemia observed
Mycoplasma Contamination DNA Detection by PCR	None detected	None detected

<sup>&</sup>lt;sup>1</sup>MRA-102G was produced from a cell culture of BEI Resources MR-MRA-102 seed lot. Genomic DNA was extracted using proprietary technology.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

<sup>&</sup>lt;sup>2</sup>MRA-102G was vialed in AE buffer (10 mM Tris-HCl and 0.5 mM EDTA, pH 9).

<sup>&</sup>lt;sup>3</sup>Testing was completed on bulk material prior to freezing.

<sup>&</sup>lt;sup>4</sup>Primer sequences and conditions for PCR are available upon request.


<sup>&</sup>lt;sup>5</sup>8 days in complete RPMI culture medium at 37°C in sealed flasks outgassed with blood-gas atmosphere (90% N<sub>2</sub>, 5% CO<sub>2</sub>, 5% O<sub>2</sub>). Complete RPMI culture medium was changed and parasitemia checked every 1 to 4 days.

<sup>&</sup>lt;sup>6</sup>An extraction procedure was used that has been shown to consistently inactivate 100% of *Plasmodium* parasites.



# **Certificate of Analysis for MRA-102G**

Figure 1: Agarose Gel Electrophoresis



Lane 1: Lonza 4 Kb DNA Ladder Lane 2: ~ 40 ng of MRA-102G

/Heather Couch/ Heather Couch

www.beiresources.org

05 MAY 2022

Program Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.



BEI Resources E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

MRA-102G\_70048117\_05MAY2022