

**Spike Glycoprotein Receptor Binding Domain (RBD) from SARS-Related Coronavirus 2, G476S Variant with C-Terminal Histidine Tag, Recombinant from HEK293 Cells**

**Catalog No. NR-55401**

**ACROBiosystems Catalog No. SPD-C52H4**

**Product Description:**

A recombinant form of the spike (S) glycoprotein receptor binding domain (RBD) from severe acute respiratory syndrome-related coronavirus 2 (SARS-CoV-2), G476S variant was produced by transient transfection in human embryonic kidney HEK293 cells and purified by affinity chromatography. NR-55401 lacks the signal sequence, contains 223 residues of the SARS-CoV-2 S glycoprotein RBD (amino acid residues R319 to F541) and features a C-terminal poly-histidine tag. NR-55401 is from a variant of SARS-CoV-2 which contains the G476S mutation in the S glycoprotein as compared to the SARS-CoV-2 reference sequence (GenPept: [QHD43416](#)). NR-55401 lot 3763a-206GF1-SJ was lyophilized from 156 µL of bulk protein in phosphate-buffered saline, pH 7.4 with 10% trehalose.

**Lot: 3763a-206GF1-SJ**


**Receipt Date: 13MAY2021**

TEST	SPECIFICATIONS	RESULTS
<b>Appearance</b>	White powder	White powder
<b>Purity</b> SDS-PAGE Analysis	Protein band of interest represents > 95% of total staining intensity	Dominant band of ~ 34 kDa represents > 95% of total staining intensity (Figure 1) <sup>1</sup>
<b>Final Product</b> Amount per vial	Report results	100 µg
<b>Functional Activity by ELISA</b>	Reactive	Reactive <sup>2</sup>
<b>Filtration</b>	0.2 µm sterile-filtered	0.2 µm sterile-filtered
<b>Endotoxin Content</b> (Limulus Amoebocyte Lysate Assay)	< 1.0 EU per µg	< 1.0 EU per µg

<sup>1</sup>The recombinant protein migrated to a slightly larger size than was expected, likely caused by glycosylation common in recombinant spike proteins derived from coronaviruses. For more information, please see Chakraborti, S., et al. "The SARS Coronavirus S Glycoprotein Receptor Binding Domain: Fine Mapping and Functional Characterization." *Virology*, 2 (2005): 73. PubMed: 16122388.

<sup>2</sup>Using 1 µg per mL (100 µL per well) of immobilized human ACE2, Fc tag (ACROBiosystems AC2-H5257) with a linear range of 2 to 16 ng per mL

**Figure 1: SDS-PAGE Analysis**



/Sonia Bjorum Brower/

Sonia Bjorum Brower

26 JUL 2022

Lead Technical Writer or designee, ATCC Federal Solutions

ATCC<sup>®</sup>, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by the contributor to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC<sup>®</sup>'s knowledge.

ATCC<sup>®</sup> is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

