b|e|i RESOURCES

SUPPORTING INFECTIOUS DISEASE RESEARCH

Certificate of Analysis for NR-58933

Monoclonal Anti-Ferret CD32 Antigen, Clone F2.4C4 (produced *in vitro*)

Catalog No. NR-58933

Product Description:

Antibody Class: IgG1κ

Mouse monoclonal antibody prepared against the ferret *(Mustela putorius furo)* CD32 (FcγRII) antigen was purified from clone F2.4C4 hybridoma supernatant using protein G affinity chromatography. The B cell hybridoma was generated by the fusion of P3X63Ag8.653 mouse myeloma cells with splenocytes from BALB/c mice immunized with recombinant ferret CD32 protein.

Lot: 70058233 **Manufacturing Date: 03JAN2022**

TEST	SPECIFICATIONS	RESULTS
Antibody Class Determination	IgG1κ	IgG1κ
SDS-PAGE Analysis	Correct molecular weight (MW) for heavy and light chains; Report purity	Correct molecular weight (MW) for heavy and light chains (Figure 1); > 95% pure
Concentration by Nanodrop	~ 1 mg/mL	1.0 mg/mL
Amount per Vial	Report results	0.025 mg
Functional Activity Western blot[1] ELISA[2] Flow cytometry[3]	 Reactive Reactive Reactive	 Reactive (Figure 2) Reactive (Figure 3) Reactive (Figure 4)
Endotoxin Content	Report results	8.29 EU/mL
Mycoplasma Contamination DNA detection by PCR	 None detected	 None detected
Sterility	0.2 µm filter-sterilized	0.2 µm filter-sterilized

[1]Recombinant CD32 antigen and BSA were used for western blot analysis. Goat anti-mouse IgG conjugated to HRP was used as the detection antibody and chemiluminescent development was applied.

[2]Recombinant CD32 antigen and BSA were used for Direct Binding ELISA. Plates were coated with 10 µg/mL of CD32 antigen or BSA and dilutions of NR-58933 were added to the wells. Goat anti-mouse IgG conjugated to HRP was used as the detection antibody. Colorimetric detection was performed using 3,3',5,5'-Tetramethyl benzidine (TMB) substrate.

[3]FiTEC.FrtCD32.B5 (ferret immortalized tracheal epithelial cells) cell clones expressing ferret CD32 were stained with dilutions of NR-58933 as the primary antibody and goat anti-mouse IgG conjugated with Alexa488 as the secondary antibody.

Figure 1: SDS-PAGE Analysis



Lane 1: MW Markers
Lane 2: NR-58933 (10 µg)

Figure 2: Western Blot Analysis



BEI Resources
www.beiresources.org

E-mail: contact@beiresources.org
Tel: 800-359-7370
Fax: 703-365-2898

Figure 3: ELISA



Figure 4: Flow Cytometry



/Sonia Bjorum Brower/
Sonia Bjorum Brower 09 MAR 2023
Technical Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by the contributor to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.
You are authorized to use this product for research use only. It is not intended for human use.

Support Provided by NIAID

BEI Resources
www.beiresources.org

E-mail: contact@beiresources.org
Tel: 800-359-7370
Fax: 703-365-2898