**b**|**e**|**i** resources

SUPPORTING INFECTIOUS DISEASE RESEARCH

### Acinetobacter baumannii, Strain MRSN 11695

#### Catalog No. NR-52188

This reagent is the tangible property of the U.S. Government.

#### **Product Description:**

Acinetobacter baumannii (A. baumannii), strain MRSN 11695 was isolated in 2007 from a human urine sample in the United States as part of a global surveillance program. A. baumannii, strain MRSN 11695 was deposited as sensitive to colistin, intermediately resistant to tetracycline, and resistant to amikacin, ceftazidime, ciprofloxacin, ceftriaxone, cefepime, gentamicin, imipenem, tobramycin, trimethoprim/sulfamethoxazole, levofloxacin, meropenem and ampicillin/sulbactam. NR-52188 was produced by inoculation of the depositor material into Tryptic Soy broth and grown for 1 day at 37°C in an aerobic atmosphere. Broth inoculum was added to Tryptic Soy agar kolles, which were grown for 1 day at 37°C in an aerobic atmosphere to produce this lot. Quality control testing was completed under propagation conditions unless otherwise noted.

#### Lot: 70039038

### Manufacturing Date: 10SEP2020

BEI Resources is committed to ensuring digital accessibility for people with disabilities. This Certificate of Analysis contains complex tables and may not be fully accessible. Please let us know if you encounter accessibility barriers and a fully accessible document will be provided: E-mail: <u>Contact@BEIResources.org</u>. We try to respond to feedback within 24 hours.

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Gram-negative rods	Gram-negative rods
Colony morphology	Report results	Circular, convex, entire, smooth and cream (Figure 1)
Growth at 44°C ± 2°C <sup>1</sup> 1 day in an aerobic atmosphere on Tryptic Soy agar	Growth	Growth
Motility Remel™ Motility Test Medium w/TTC Indicator for 1 day at 37°C in an aerobic atmosphere	Report results	Non-motile
VITEK <sup>®</sup> MS (MALDI-TOF)	A. baumannii	A. baumannii (99.9%)
Antibiotic Susceptibility Profile <sup>2,3</sup>		
Amikacin	Resistant	Resistant (> 256 µg/mL)
Cefepime	Resistant	Resistant (> 256 µg/mL)
Ceftazidime	Resistant	Resistant (≥ 64 µg/mL)
Ciprofloxacin	Resistant	Resistant (≥ 4 µg/mL)
Colistin	Sensitive	Sensitive (≤ 0.5 µg/mL)
Gentamicin	Resistant	Resistant (≥ 16 µg/mL)
Imipenem	Resistant	Resistant (> 8 µg/mL)
Levofloxacin	Resistant	Resistant (> 8 µg/mL)
Meropenem	Resistant	Resistant (> 8 µg/mL)
Tobramycin	Resistant	Resistant (≥ 16 µg/mL)
Trimethoprim/sulfamethoxazole	Resistant	Resistant (> 32 µg/mL)
Ampicillin/sulbactam	Resistant	Sensitive (4 to 6 µg/mL) <sup>4</sup>
Ceftriaxone	Resistant	Resistant (≥ 64 µg/mL)
Tetracycline	Intermediate	Resistant (≥ 256 µg/mL) <sup>5</sup>
Genotypic Analysis		
Sequencing of 16S ribosomal RNA gene (1480 base pairs)	≥ 99% sequence identity to <i>A. baumannii</i> , strain MRSN 11695 (GenBank: VHHI01000080.1)	100% sequence identity to <i>A. baumannii</i> , strain MRSN 11695 (GenBank: VHHI01000080.1)
Purity	Growth consistent with expected	Growth consistent with expected
7 days at 37°C in an aerobic atmosphere with and without 5% CO <sub>2</sub> on Tryptic Soy agar	colony morphology	colony morphology

BEI Resources www.beiresources.org E-mail: <u>contact@beiresources.org</u> Tel: 800-359-7370 Fax: 703-365-2898

# bieii resources

# **Certificate of Analysis for NR-52188**

SUPPORTING INFECTIOUS DISEASE RESEARCH

TEST	SPECIFICATIONS	RESULTS
Viability	Growth	Growth

<sup>1</sup>Growth at 44°C differentiates A. baumannii from A. calcoaceticus and A. pittii, which do not grow at 44°C.

<sup>2</sup>Minimum Inhibitory Concentration (MIC); MIC Interpretation Guideline: CLSI M100-S28 (2018)

<sup>3</sup>Antibiotic susceptibility was tested using a combination of VITEK<sup>®</sup>2 GN82, Sensititre GNX3F AST and E-test strips.

<sup>4</sup>A. baumannii, strain MRSN 11695 was deposited as resistant to ampicillin/subactam, but showed a MIC of 4 to 6 μg per mL (interpreted as sensitive) for this antibiotic during QC testing. Testing was performed in quadruplicate.

<sup>5</sup>A. baumannii, strain MRSN 11695 was deposited as intermediately resistant to tetracycline, but showed a MIC of ≥ 256 μg per mL (interpreted as resistant) for this antibiotic during QC testing. Testing was performed in quadruplicate.

	-	
	~	
-		

## Figure 1: Colony Morphology

# /Sonia Bjorum Brower/ Sonia Bjorum Brower

20 SEP 2023

Technical Manager or designee, ATCC Federal Solutions

ATCC<sup>®</sup>, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC<sup>®</sup>'s knowledge.

ATCC<sup>®</sup> is a trademark of the American Type Culture Collection. You are authorized to use this product for research use only. It is not intended for human use.

