

***Clostridioides difficile*, Strain P1**

Catalog No. NR-32882

For research use only. Not for use in humans.

Contributor:

Jane W. Marsh, Research Assistant Professor, Division of Infectious Diseases, Department of Medicine, University of Pittsburgh, Pittsburgh, Pennsylvania, USA

Manufacturer:

BEI Resources

Product Description:

Bacteria Classification: *Clostridiaceae*, *Clostridioides*

Species: *Clostridioides difficile* (Previously referred to as *Clostridium difficile*, this genus has been reclassified and the genus designation on the vial label refers to the old nomenclature.)¹

Strain: P1

Original Source: *Clostridioides difficile* (*C. difficile*), strain P1 was obtained in 2001 from fecal material of a human patient with a relapsing *C. difficile* infection in western Pennsylvania, USA.²

Comments: Strain P1 was deposited as a toxigenic strain.¹ The complete genome of *C. difficile*, strain P1 is available (GenBank: [AVLL00000000](#)).

C. difficile is a Gram-positive, spore-forming, obligate anaerobe that commonly inhabits the intestinal tract of various mammalian species, reptiles and birds, and may also be found in the environment. Pathogenic strains of *C. difficile* produce a potent cytotoxin (toxin B) and in most cases an enterotoxin (toxin A).³ It is the production of these toxins in the gut which ultimately leads to pseudomembranous colitis (PMC) and *C. difficile* associated diarrhea (CDAD), which often occur as a complication of antibiotic therapy in elderly hospitalized patients.⁴

Material Provided:

Each vial contains approximately 0.5 mL of bacterial culture in Modified Reinforced Clostridial medium supplemented with 10% glycerol.

Note: If homogeneity is required for your intended use, please purify prior to initiating work.

Packaging/Storage:

NR-32882 was packaged aseptically in cryovials. The product is provided frozen and should be stored at -60°C or colder immediately upon arrival. For long-term storage, the vapor phase of a liquid nitrogen freezer is recommended. Freeze-thaw cycles should be avoided.

Growth Conditions:

Media:

Modified Reinforced Clostridial medium or equivalent
Tryptic Soy agar with 5% defibrinated sheep blood or equivalent

Incubation:

Temperature: 37°C

Atmosphere: Anaerobic

Propagation:

1. Keep vial frozen until ready for use, then thaw.
2. Transfer the entire thawed aliquot into a single tube of broth.
3. Use several drops of the suspension to inoculate an agar slant and/or plate.
4. Incubate the tube, slant and/or plate at 37°C for 1 to 2 days.

Citation:

Acknowledgment for publications should read "The following reagent was obtained through BEI Resources, NIAID, NIH: *Clostridioides difficile*, Strain P1 (Deposited as *Clostridium difficile*, strain P1), NR-32882."

Biosafety Level: 2

Appropriate safety procedures should always be used with this material. Laboratory safety is discussed in the following publication: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, and National Institutes of Health. [Biosafety in Microbiological and Biomedical Laboratories \(BMBL\)](#). 6th ed. Washington, DC: U.S. Government Printing Office, 2020.

Disclaimers:

You are authorized to use this product for research use only. It is not intended for human use.

Use of this product is subject to the terms and conditions of the BEI Resources Material Transfer Agreement (MTA). The MTA is available on our Web site at www.beiresources.org.

While BEI Resources uses reasonable efforts to include accurate and up-to-date information on this product sheet, neither ATCC® nor the U.S. Government makes any warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. Neither ATCC® nor the U.S. Government warrants that such information has been confirmed to be accurate.

This product is sent with the condition that you are responsible for its safe storage, handling, use and disposal. ATCC® and the U.S. Government are not liable for any damages or injuries arising from receipt and/or use of this product. While reasonable effort is made to ensure authenticity and reliability of materials on deposit, the U.S. Government, ATCC®, their suppliers and contributors to BEI Resources are not liable for damages arising from the misidentification or misrepresentation of products.

Use Restrictions:

This material is distributed for internal research, non-commercial purposes only. This material, its product or its derivatives may not be distributed to third parties. Except as performed under a U.S. Government contract, individuals contemplating commercial use of the material, its products or

its derivatives must contact the contributor to determine if a license is required. U.S. Government contractors may need a license before first commercial sale.

References:

1. Lawson, P. A., et al. "Reclassification of *Clostridium difficile* as *Clostridioides difficile* (Hall and O'Toole 1935) Prévot 1938." *Anaerobe* 40 (2016): 95-99. PubMed: 27370902.
2. J. W. Marsh, Personal Communication.
3. Rupnik, M., M. H. Wilcox and D. N. Gerding. "Clostridioides difficile Infection: New Developments in Epidemiology and Pathogenesis." *Nat. Rev. Microbiol.* 7 (2009): 526-536. PubMed: 19528959.
4. Kelly, C. P. and J. T. LaMont. "Clostridioides difficile - More Difficult than Ever." *N. Engl. J. Med.* 359 (2008): 1932-1940. PubMed: 18971494.
5. Marsh, J. W. "Counterpoint: Is *Clostridioides difficile* a Food-borne Disease?" *Anaerobe* 21 (2013): 62-63. PubMed: 23528985.

ATCC® is a trademark of the American Type Culture Collection.

