Certificate of Analysis for NR-43827

Mycobacterium tuberculosis, Strain KT-0042

Catalog No. NR-43827

Product Description:

Mycobacterium tuberculosis (M. tuberculosis), strain KT-0042 was isolated from a human in South Korea. Strain KT-0042 was deposited as a susceptible Beijing genotype strain with sensitivity to capreomycin, ethambutol, isoniazid, kanamycin, moxifloxacin, ofloxacin, pyrazinamide, rifampin and streptomycin. NR-43827 was produced by inoculation of the deposited material into Middlebrook 7H9 broth with ADC enrichment. Broth inoculum was added to Middlebrook 7H10 agar with OADC enrichment kolles, which were grown for 21 days at 37°C in an aerobic atmosphere with 5% CO_2 to produce this lot. Quality control testing was completed under propagation conditions unless otherwise noted.

Lot: 70023014 **Manufacturing Date: 21MAR2019**

BEI Resources is committed to ensuring digital accessibility for people with disabilities. This Certificate of Analysis contains complex tables and may not be fully accessible. Please let us know if you encounter accessibility barriers and a fully accessible document will be provided: E-mail: Contact@BEIResources.org. We try to respond to feedback within 24 hours.

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis[1]		
Cellular morphology 21 days at 37°C in an aerobic atmosphere with 5% CO_2 on Middlebrook 7H10 agar with OADC enrichment	Gram-positive rods	Gram-positive rods
Colony morphology 45 days at 37°C in an aerobic atmosphere with 5% CO_2 on Middlebrook 7H10 agar with OADC enrichment	Report results	Irregular, low convex, undulate, rough and cream
Growth rate	≥ 7 days	21 days
Growth at 26°C	Negative	Negative
Growth at 37°C	Positive	Positive
Acid-fast stain	Positive (red colonies)	Positive (red colonies)
Pigmentation in the dark (Scotochromogen)	Negative (no pigment)	Negative (no pigment)
Photoinduction for 1 hour (Photochromogen)	Negative (no pigment)	Negative (no pigment)
Nonchromogen (no pigment)	Positive (no pigment)	Positive (no pigment)
Biochemical tests		
Niacin production[2]	Positive	Positive
Nitrate reduction	Positive	Positive
Antibiotic Susceptibility Profile		
Sensititre™ System[3,4]		
Amikacin	Report results	0.5 µg/mL
Cycloserine	Report results	16 µg/mL
Ethambutol	Report results	1 µg/mL[5]
Ethionamide	Report results	0.6 µg/mL[5]
Isoniazid	Report results	0.06 µg/mL
Kanamycin	Report results	2.5 µg/mL
Moxifloxacin	Report results	1 µg/mL[6,7]
Ofloxacin	Report results	2 µg/mL[6,8]
Para-aminosalicylic acid	Report results	4 µg/mL[5]
Rifabutin	Report results	≤ 0.12 µg/mL[5]
Rifampin	Report results	≤ 0.12 µg/mL
Streptomycin	Report results	1 µg/mL[5,6,9]
Genotypic Analysis		
Sequencing of Heat Shock Protein 65 gene (1620 base pairs)	≥ 99% sequence identity to *M. tuberculosis*, strain KT-0042 (GenBank: JLNG00000000.1)	100% sequence identity to *M. tuberculosis*, strain KT-0042 (GenBank: JLNG01000020.1)[10]

BEI Resources
www.beiresources.org
E-mail: contact@beiresources.org
Tel: 800-359-7370
Fax: 703-365-2898

© 2026 American Type Culture Collection (ATCC). All rights reserved.

Certificate of Analysis for NR-43827

TEST	SPECIFICATIONS	RESULTS
Purity (post-freeze)		
Middlebrook 7H10 agar with OADC enrichment 45 days at 37°C in an aerobic atmosphere with 5% CO_2	Growth consistent with expected colony morphology	Growth consistent with expected colony morphology
Tryptic Soy agar 21 days at 37°C in an aerobic atmosphere with 5% CO_2	Report results	Growth consistent with expected colony morphology
Viability (post-freeze) 21 days at 37°C in an aerobic atmosphere with 5% CO_2 on Middlebrook 7H10 agar with OADC enrichment	Growth	Growth

[1]Information on *Mycobacterium* testing is available from Ribón, W. "Biochemical Isolation and Identification of Mycobacteria." Biochemical Testing. (2012) Jose C. Jimenez-Lopez (Ed.), InTech (Biochemical Isolation and Identification of Mycobacteria) and Lévy-Frébault, V. V. and F. Portaels. "Proposed Minimal Standards for the Genus *Mycobacterium* and for Description of New Slowly Growing *Mycobacterium* Species." Int. J. Syst. Bacteriol. 42 (1992): 315-323. PubMed: 1581193.

[2]All mycobacteria produce niacin but only *M. tuberculosis* accumulates it, resulting in a positive test for *M. tuberculosis*.

[3]Sensititre™ System *Mycobacterium tuberculosis* MIC Plate, Thermo Scientific™, catalog number MYCOTB

[4]Minimum Inhibitory Concentration (MIC); No Clinical & Laboratory Standards Institute (CLSI) interpretations of the Sensititre™ System data for *M. tuberculosis* are currently available.

[5]For ethambutol, ethionamide, para-aminosalicylic acid, rifabutin and streptomycin, the endpoint for these drugs is determined by the well with approximately 80% inhibition of growth compared to the positive control well with no drug.

[6]Variability in the MIC result by the Sensititre™ method has been demonstrated [Lee, J., et al. "Sensititre MYCOTB MIC Plate for Testing *Mycobacterium tuberculosis* Susceptibility to First- and Second-Line Drugs." Antimicrob. Agents Chemother. 58 (2014): 11-18. PubMed: 24100497.], with the results for a single antibiotic typically within one doubling dilution.

[7]Two MICs were observed for moxifloxacin (0.5 µg/mL and 1 µg/mL) under identical test conditions. The highest MIC is being reported as the test result.

[8]Two MICs were observed for ofloxacin (1 µg/mL and 2 µg/mL) under identical test conditions. The highest MIC is being reported as the test result.

[9]Two MICs were observed for streptomycin (0.5 µg/mL and 1 µg/mL) under identical test conditions. The highest MIC is being reported as the test result.

[10]Also consistent with other members of the *M. tuberculosis* complex

/Sonia Bjorum Brower/
Sonia Bjorum Brower 25 JUN 2026
Technical Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.
You are authorized to use this product for research use only. It is not intended for human use.

Support Provided by NIAID

BEI Resources
www.beiresources.org
E-mail: contact@beiresources.org
Tel: 800-359-7370
Fax: 703-365-2898

© 2026 American Type Culture Collection (ATCC). All rights reserved.