

Certificate of Analysis for NR-9236

Giardia lamblia, Strain AC

Catalog No. NR-9236

Product Description: Giardia lamblia is a pear-shaped, flagellated protozoan that causes a wide variety of gastrointestinal complaints and is one of the most common causes of parasite infection of humans worldwide.

Lot¹: 58109544 Manufacturing Date: 01APR2008

TEST	SPECIFICATIONS	RESULTS
Genotypic Analysis Sequencing of cytidine triphosphate synthase gene (~ 1460 bp)	Consistent with Giardia lamblia	Consistent with Giardia lamblia
PCR Assay of Extracted DNA Cytidine triphosphate synthase gene	~ 1830 bp amplicon	~ 1830 bp amplicon
Viable Cell Count by Hemacytometry (pre-freeze)	> 10 ⁶ cells/mL	2.0 x 10 ⁷ cells/mL
Viability (post-freeze) ²	Growth	Growth
Sterility (21-day incubation) Harpo's HTYE broth ³ , 37°C and 26°C, aerobic Trypticase soy broth, 37°C and 26°C, aerobic Sabouraud broth, 37°C and 26°C, aerobic Sheep blood agar, 37°C, aerobic Sheep blood agar, 37°C, anaerobic Thioglycollate broth, 37°C, anaerobic DMEM with 10% FBS, 37°C and 5% CO ₂	No growth	No growth

¹NR-9236 was produced by cultivation of the deposited material in ATCC® medium 2695 supplemented with Diamond's Vitamin Solution and 10% heat-inactivated adult bovine serum. The culture was propagated for 4 days at 35°C in an axenic and microaerophilic atmosphere, until peak density was reached.

Date: 10 FEB 2009 **Signature:** Signature on File

Title: Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

Biodefense and Emerging Infections Research Resources Repository

Fax: 703-365-2898

E-mail: contact@beiresources.org

800-359-7370

²Incubated under cultivation conditions for approximately 1 week.

³Atlas, Ronald M. <u>Handbook of Microbiological Media</u>. 3rd ed. Ed. Lawrence C. Parks. Boca Raton: CRC Press, 2004, p. 798.