

Certificate of Analysis for NR-10305

Genomic DNA from Bacillus anthracis, Strain Sterne \(\Delta GBAA0419-2 \)

Catalog No. NR-10305

This reagent is the tangible property of the U.S. Government.

Product Description: Genomic DNA was isolated from a preparation of *Bacillus anthracis* (B. anthracis), strain Sterne Δ GBAA0419-2, a deletion mutant of the toxigenic acapsulate original Sterne strain (34F2).

Lot¹: 58253180 Manufacturing Date: 22DEC2008

TEST	SPECIFICATIONS	RESULTS
Sequencing of 16S Ribosomal RNA Gene (1435 base pairs)	Consistent with <i>B. cereus</i> group	Consistent with <i>B. cereus</i> group ^{2,3}
Presence or Absence of Plasmids Confirmed by PCR Amplification pXO1 (aat) pXO2 (at, capA, capB, capC)	Positive Negative	Positive Negative
Agarose Gel Electrophoresis	High molecular weight chromosomal DNA	High molecular weight chromosomal DNA (Figure 1)
Content by PicoGreen® Measurement	4 to 6 μg in 25 to 100 μL per vial	5.3 μg in 71 μL per vial (75 μg/mL)
Functional Activity by PCR Amplification 16S ribosomal RNA gene Virulence markers on plasmid pXO1 (aat)	~ 1500 bp amplicon ~ 125 bp amplicon	~ 1500 bp amplicon ~ 125 bp amplicon
OD ₂₆₀ /OD ₂₈₀ Ratio	1.7 to 1.9	1.8
Bacterial Inactivation 10% of total yield plated on Tryptic Soy Agar with 5% sheep blood ^{4.5}	No viable bacteria detected	No viable bacteria detected

¹B. anthracis, strain Sterne ΔGBAA0419-2 was deposited by Philip Hanna, Associate Professor, Department of Microbiology and Immunology, University of Michigan Medical School, Ann Arbor, Michigan. The bacterial preparation used for extraction of genomic DNA was produced by broth culture of the deposited material. After incubation for 24 hours at 37°C and aerobic atmosphere, genomic DNA was extracted using proprietary technology.

www.beiresources.org

Date: 06 AUG 2009 **Signature:** Signature on File

Title: Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

Biodefense and Emerging Infections Research Resources Repository P.O. Box 4137 Manassas, VA 20108-4137 USA

© 2009 American Type Culture Collection (ATCC). All rights reserved.

800-359-7370


²Bacillus cereus group species (*B. cereus, B. thuringiensis, B. mycoides*, and *B. anthracis*) cannot be classified based on 16S sequence [Spencer, R. C. "Bacillus anthracis." J. Clin. Pathol. 56 (2003): 182-187. PubMed: 12610093].

³Also consistent with *Bacillus* subtilis

⁴7 days at 37°C in an aerobic atmosphere

⁵An extraction procedure was used that has been shown to consistently inactivate 100% of Gram-negative bacteria.

Certificate of Analysis for NR-10305



Lane 1: Invitrogen™ TrackIt™ 1 Kb Plus DNA Ladder Lane 2: 200 ng of NR-10305

800-359-7370

Fax: 703-365-2898

NR-10305_58253180_06AUG2009