SUPPORTING INFECTIOUS DISEASE RESEARCH

Shuttle Vector pMCSU2 for Gene Expression in *Mycobacterium tuberculosis* and *Escherichia coli*

Catalog No. NR-13404

This reagent is the tangible property of the U.S. Government.

Product Description: pMCSU2 is a shuttle vector that can be used for gene expression in either *Escherichia coli* or *Mycobacterium tuberculosis*. The pMCSU2 vector contains origins of replication for both organisms, *Escherichia coli* bacteriophage λ *att*R sites, a *Mycobacterium BCG* hsp60 promoter region, as well as the genes that confer resistance to kanamycin (Km), hygromycin B (Hyg) and chloramphenicol (Cm).

Lot: 59310214

Manufacturing Date: 14JUN2010

QC testing was performed by Colorado State University under the TB Vaccine Testing and Research Materials Contract (NIH). The Colorado State University documentation is attached.

ATCC[®], on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by the contractor to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC[®]'s knowledge.



 $ATCC^{\otimes}$ is a trademark of the American Type Culture Collection. You are authorized to use this product for research use only. It is not intended for human use.

Recombinant Plasmid Quality Control Record

Plasmid designation	pMCSU2		
BEI Product Item Number <u>NR-13404</u>			
BEI Lot Number	59310214		
CSU Lot Number	10.pMCSU2.6.14		
Notebook/Pgs	notebook #5, page 23 (NKG)		
Notebook detail			
Media used	LB		
Culture size	<u>250 mL</u>		
Growth conditions:	Temp <u>37</u> Time <u>18 hrs</u> Shaker speed <u>200</u>		
Plasmid prep type (mini/maxi, kit name or protocol) <u>Qiagen HiSpeed Plasmid Midi Kit</u> (Cat. No. 12643)			
Plasmid prep detail:	Midi prep Qia100 tip and elution conditions		
Strain used to produce plasmidDB3.1_			
<i>E. coli</i> ori? Y/N	Y		
Contains Mycobacterial ori? Y/N Y			
Final concentration	<u>50.13 ng/µL</u>		
Total Stocks <u>41</u>			
Buffer TE			
Method used for quantifying <u>nanodrop</u>			
QC gel – N/A (no insert)			
Restriction enzymes used in QC analysis <u>N/A</u>			
Expected size of restriction fragments			

Created on 7/9/2010 11:07:00 AM Page 2

•

Vector	N/A		
Insert	N/A		
Other	N/A		
Gel description	file number, % agarose, buffer	<u>N/A</u>	
Recombination site/region confirmed by DNA Sequencing \underline{Y}			
Primers used: 1. hspF Primer sequence 5' CGGTGAGTGCTAGGTCGGGACGG 3' 2. mRev1 Primer sequence 5' GACGTCAGGTGGCTAGCT 3'			
Sequence file:	CSU-2F/CSU-2R	Date6/22/2010	
Plasmid Map:			
Hyg-r Hyg-r MCSU2 7465 bp MCSU2 7465 bp 7465 bp MCSU2 7465 bp MCSU2 7475 bp MCSU2			
Generated by $\underline{\gamma}$	licholas may	Date 8/19/10	
Supervisor	he ke-burz	Date \$ 20 / 13	

Form 4.2.09.KMD

.

.

•