

## **Certificate of Analysis for NR-13431**

## Clostridium difficile, Isolate 5

Catalog No. NR-13431


**Product Description:** Clostridium difficile (C. difficile), isolate 5 was obtained from a human patient from the Mid-Atlantic region of the United States in 2008/2009.

Lot<sup>1</sup>: 59438825 Manufacturing Date: 21JAN2011

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis <sup>2</sup>		
Cellular morphology	Report results	Gram-positive rod
Colony morphology <sup>3</sup>	Report results	Irregular, flat, slightly undulate, opaque, rough and gray (Figure 1)
Obligate Anaerobe	Positive	Positive
Hemolysis <sup>3</sup>	Report results	Non-hemolytic
Chartreuse fluorescence on anaerobic blood agar <sup>3</sup>	Positive	Positive
Biochemical tests:		
RapID™ ANA II Panel	Consistent with C. difficile	Consistent with C. difficile
Esculin hydrolysis	Positive	Positive
Gelatin hydrolysis	Positive	Positive
Genotypic Analysis		
Sequencing of 16S ribosomal RNA gene (~ 1390 base pairs)	Consistent with C. difficile	Consistent with C. difficile
Viability (post-freeze) <sup>3</sup>	Growth	Growth

<sup>&</sup>lt;sup>1</sup>The deposited material was inoculated into Modified Reinforced Clostridial Broth (<u>ATCC medium 2107</u>) and incubated for 48 hours at 37°C and anaerobic atmosphere (80% N<sub>2</sub>:10% CO<sub>2</sub>:10% H<sub>2</sub>). The material from the initial growth was passaged three times under the above conditions. NR-13431 was produced from the fourth passage.

<sup>&</sup>lt;sup>3</sup>48 hours at 37°C and anaerobic atmosphere on Tryptic Soy agar with 5% defibrinated sheep blood



**Date:** 10 MAY 2012

Signature:

**Title:** Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

<sup>&</sup>lt;sup>2</sup>Specifications described in Holdeman, L. V., E. P. Cato, and W. E. C. Moore, Eds. <u>Anaerobe Laboratory Manual</u>. 4th ed., Blacksburg: Virginia Polytechnic Institute and State University, 1977.