

## **Certificate of Analysis for HM-683**

## Bacteriophage Phi05\_1669S/Pa1400, Infectious for Pseudomonas aeruginosa

Catalog No. HM-683

**Product Description:** Bacteriophage phi05\_1669S/Pa1400 was derived from a blood sample taken from a patient with septicemia. Bacteriophage phi05\_1669S/Pa1400 (HMP ID 9794) is a reference genome for The Human Microbiome Project (HMP).

Lot<sup>1,2</sup>: 60277710 Manufacturing Date: 21SEP2011

TEST	SPECIFICATIONS	RESULTS
Plaque Morphology <sup>3</sup>	Report results	Circular and clear
<b>Titer<sup>3</sup></b> Plaque-forming units (pfu) with <i>Pseudomonas aeruginosa</i>	>10 <sup>6</sup> pfu per mL	1.2 x 10 <sup>11</sup> pfu per mL
Sterility	0.22 µm filtered	0.22 µm filtered
Bacterial Inactivation 10% of total yield plated on Tryptic Soy Agar with 5% defibrinated sheep blood <sup>4</sup>	No viable bacteria detected	No viable bacteria detected

<sup>&</sup>lt;sup>1</sup>Quality control of HMP material is only performed to demonstrate that the product distributed by BEI Resources is identical to the deposited material. It should not be considered a complete characterization of the deposited material.

<sup>4</sup>7 days at 37°C in an aerobic atmosphere

**Date:** 09 APR 2013 **Signature:** 

**Title:** Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection. You are authorized to use this product for research use only. It is not intended for human use.

E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

<sup>&</sup>lt;sup>2</sup>The deposited material was added to a Luria-Burtani (LB) soft agar overlay (0.5%) supplemented with 10 mM MgSO<sub>4</sub> containing the phage host, *Pseudomonas aeruginosa*, strain Pa1400. The soft agar overlay was added to an LB agar Kolle supplemented with 10 mM MgSO<sub>4</sub> and incubated 24 hours at 30°C in an aerobic atmosphere. After four additional passages under the above conditions, the bacteriophage were harvested to produce this lot.

<sup>&</sup>lt;sup>3</sup>Lysis was observed on the soft agar overlay after 24 hours at 30°C in an aerobic atmosphere.