SUPPORTING INFECTIOUS DISEASE RESEARCH

## *Mycobacterium tuberculosis*, Strain CDC1551, Transposon Mutant 321 (MT1551, Rv1502)

## Catalog No. NR-13632

**Product Description:** *Mycobacterium tuberculosis (M. tuberculosis),* transposon mutant 321 was created by disruption of a hypothetical protein (MT1551, Rv1502) of the wild-type strain CDC1551. *M. tuberculosis*, strain CDC1551 is a clinical isolate that exhibited high levels of infectivity and virulence during a tuberculosis outbreak that occurred in rural Kentucky and Tennessee from 1994 to 1996.

#### Lot<sup>1</sup>: 62676004

# Manufacturing Date: 05JUN2014

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis Colony morphology <sup>2</sup>		
Lowenstein-Jensen (LJ) agar	Report results	Irregular, raised, undulate, rough and cream
Tryptic Soy agar Antibiotic Susceptibility <sup>3</sup>	Report results	No growth
Kanamycin (20 µg/mL)	Resistant	Resistant
Hygromycin (50 µg/mĹ)	Susceptible	Susceptible
Point of Insertion <sup>3,4</sup>		
Base number (TA site) relative to the start position of ORF	Report results	479

<sup>1</sup>*M. tuberculosis,* transposon mutant 321 was prepared by inoculation of a LJ agar slant (VWR Catalog No. 29447-808) with 0.1 mL of the deposited material and incubated 28 days at 37°C in an aerobic atmosphere with 5% CO<sub>2</sub>.

<sup>2</sup>28 days at 37°C in an aerobic atmosphere with 5% CO<sub>2</sub>

<sup>3</sup>Performed on the seed material by Colorado State University under the TB Vaccine Testing and Research Materials Contract (NIH)

<sup>4</sup>The POI deviates by less than 10 bp from the POI reported by Johns Hopkins University.

ATCC<sup>®</sup> is a trademark of the American Type Culture Collection.

Date: 23 SEP 2014

Signature:

Title:

You are authorized to use this product for research use only. It is not intended for human use.

## Technical Manager, BEI Authentication or designee

ATCC<sup>®</sup>, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by ATCC<sup>®</sup> and the contractor to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC<sup>®</sup>'s knowledge.

Support Provided by NIAID