SUPPORTING INFECTIOUS DISEASE RESEARCH

### Mycobacterium tuberculosis, Strain 96-2268

### Catalog No. NR-30638

This reagent is the tangible property of the U.S. Government.

**Product Description:** Mycobacterium tuberculosis (M. tuberculosis), strain 96-2268 was isolated between 1995 and 2000 from human sputum from an HIV-negative patient infected with pulmonary tuberculosis in North America. Strain 96-2268 was deposited as a multi-drug sensitive (MDS) strain of tuberculosis with sensitivity to rifampicin and isoniazid.

# Lot<sup>1</sup>: 63101970

## Manufacturing Date: 12MAR2015

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis <sup>2</sup>		
Cellular morphology	Gram-positive rods	Gram-positive rods
Colony morphology <sup>3</sup>	Report results	Irregular, slight peaked, undulate, rough and cream (Figure 1)
Growth rate	≥ 7 days	23 days
Growth at 26°C	Negative	Negative
Growth at 37°C	Positive	Positive
Acid-fast stain	Positive (red colonies)	Positive (red colonies)
Pigmentation in the dark (Scotochromogen)	Negative (no pigment)	Negative (no pigment)
Photoinduction for 1 hour (Photochromogen)	Negative (no pigment)	Negative (no pigment)
Nonchromogen (no pigment)	Positive (no pigment)	Positive (no pigment)
Biochemical tests		
Niacin production <sup>4</sup>	Positive	Positive
Nitrate reduction	Positive	Positive
Pyrazinamidase	Positive	Positive
Genotypic Analysis		
Sequencing of Heat Shock Protein 65 gene (~ 390 base pairs)	Consistent with <i>M. tuberculosis</i>	Consistent with <i>M. tuberculosis</i> <sup>5</sup>
Purity (post-freeze) <sup>6</sup>	Consistent with expected colony morphology	Consistent with expected colony morphology
Viability (post-freeze) <sup>3</sup>	Growth	Growth

NR-30638 was produced by inoculation of the deposited material into Middlebrook 7H9 broth with ADC enrichment. Broth inoculum was added to Middlebrook 7H10 agar with OADC enrichment kolles, which were grown for 31 days at 37°C in an aerobic atmosphere with 5% CO<sub>2</sub> to produce this lot.

<sup>2</sup>Information on Mycobacterium testing is available from Ribón, W. "Biochemical Isolation and Identification of Mycobacteria." Biochemical Testing. (2012) Jose C. Jimenez-Lopez (Ed.), InTech, http://www.intechopen.com/books/biochemical-testing/biochemical-isolation-and-identification-ofmycobacteria and Lévy-Frébault, V. V. and F. Portaels. "Proposed Minimal Standards for the Genus Mycobacterium and for Description of New Slowly Growing Mycobacterium Species." Int. J. Syst. Bacteriol. 42 (1992): 315-323. PubMed: 1581193. <sup>3</sup>23 days at 37°C in an aerobic atmosphere with 5% CO2 on Middlebrook 7H10 agar with OADC enrichment

<sup>4</sup>All mycobacteria produce niacin but only *M. tuberculosis* accumulates it, resulting in a positive test for *M. tuberculosis*.

<sup>5</sup>Also consistent with *M. africanum*, *M. bovis* and *M. canettii* 

<sup>6</sup>Purity of this lot was assessed for 51 days at 37°C in an aerobic atmosphere with 5% CO<sub>2</sub> on Middlebrook 7H10 agar with OADC enrichment and for 23 days at 37°C in an aerobic atmosphere with 5% CO2 on Tryptic Soy agar plates.

bei resources

SUPPORTING INFECTIOUS DISEASE RESEARCH

### Figure 1: Colony Morphology



Date: 18 FEB 2016

**BEI Resources Authentication** 

ATCC<sup>®</sup>, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC<sup>®</sup>'s knowledge.

ATCC<sup>®</sup> is a trademark of the American Type Culture Collection. You are authorized to use this product for research use only. It is not intended for human use.

