

Certificate of Analysis for NR-48567

Klebsiella pneumoniae, Strain CHS 65

Catalog No. NR-48567

Product Description: Klebsiella pneumoniae (K. pneumoniae), strain CHS 65 was isolated in 2013 from the urine of a non-ICU adult human patient in North Carolina, USA. K. pneumoniae, strain CHS 65 was deposited as a carbapenem resistant strain and is part of a Carbapenem Resistant Enterobacteriaceae (CRE) Sequencing Project at the Broad Institute. Strain CHS 65 was also deposited as resistant to meropenem and cefoxitin, intermediately susceptible to tigecycline and susceptible to amikacin.

Lot¹: 63885487 Manufacturing Date: 18NOV2015

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Gram-negative rods	Gram-negative rods
Colony morphology ²	Report results	Circular, low convex, entire, smooth, mucoid, opaque and cream (Figure 1)
Motility (wet mount)	Report results	Non-motile
Motility (wet mount) VITEK [®] MS (MALDI-TOF)	K. pneumoniae	K. pneumoniae (99.9%)
VITEK [®] 2 Compact (GN card)	≥ 90% probability of being K. pneumoniae	K. pneumoniae (99% probability) ³
Antibiotic Susceptibility Profile VITEK® (AST-GN69) ⁴ ESBL ^{5,6}		
ESBL ^{5,6}	Report results	Negative
Ampicillin	Resistant	Resistant (≥ 32 µg/mL)
Amoxicillin/Clavulanic Acid	Report results	Resistant (≥ 32 µg/mL)
Ampicillin/Sulbactam	Resistant	Resistant (≥ 32 µg/mL)
Piperacillin/Tazobactam	Report results	Resistant (≥ 128 µg/mL)
Cefazolin	Resistant	Resistant (≥ 64 µg/mL)
Ceftazidime	Resistant	Resistant (≥ 64 µg/mL)
Ceftriaxone	Resistant	Resistant (≥ 64 µg/mL)
Cefepime	Report results	Sensitive (= 8 µg/mL) ⁷
Ertapenem	Resistant	Resistant (≥ 8 µg/mL)
Imipenem	Resistant	Resistant (≥ 8 µg/mL)
Gentamicin	Intermediate	Intermediate (= 8 µg/mL)
Tobramycin	Report results	Resistant (≥ 16 µg/mL)
Ciprofloxacin	Resistant	Resistant (≥ 4 µg/mL)
Levofloxacin	Resistant	Resistant (≥ 8 μg/mL)
Nitrofurantoin	Resistant	Resistant (≥ 512 µg/mL)
Trimethoprim/Sulfamethoxazole	Resistant	Resistant (≥ 320 µg/mL)
Genotypic Analysis		
Sequencing of 16S ribosomal RNA gene (~ 1440 base pairs)	≥ 99% sequence identity to K. pneumoniae type strain	99.3% sequence identity to Y17656 ^{8,9}
Purity (post-freeze) ¹⁰	Growth consistent with expected colony morphology	Growth consistent with expected colony morphology
Viability (post-freeze) ²	Growth	Growth

¹NR-48567 was produced by inoculation of the deposited material into Tryptic Soy broth and grown for 1 day at 37°C in an aerobic atmosphere. Broth inoculum was added to Tryptic Soy agar kolles, which were grown for 1 day at 37°C in an aerobic atmosphere to produce this lot.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

²1 day at 37°C in an aerobic atmosphere on Tryptic Soy agar

³Percent probabilities above 90% indicate a close match to the typical biochemical pattern for the given organism, with a percent probability of 99% being a perfect match between the test reaction pattern and the unique biochemical pattern of the given organism or organism group. For



Certificate of Analysis for NR-48567

additional information, please refer to O'Hara, C.M. and J. M. Miller. "Evaluation of the Vitek 2 ID-GNB Assay for Identification of Members of the Family *Enterobacteriaceae* and Other Nonenteric Gram-Negative Bacilli and Comparison with the Vitek GNI+ Card." <u>J. Clin. Microbiol.</u> 41 (2003): 2096-2101. PubMed: 12734254.

⁴Minimum Inhibitory Concentration (MIC); MIC Interpretation Guideline: CLSI M100-S22 (2012)

⁵The VITEK[®] 2 ESBL Test is a confirmatory test for Extended-Spectrum Beta-Lactamases (ESBLs) inhibited by clavulanic acid and utilizes cefepime, cefotaxime and ceftazidime, with and without clavulanic acid, to determine a positive or negative result.

⁶A negative ESBL test does not rule out the presence of an ESBL as there are many types of ESBL that may not be covered with this card. Furthermore, the ESBL phenotype may be masked by an AmpC β-lactamase. For more information, refer to Gniadkowski, M. "Evolution and Epidemiology of Extended-Spectrum β-Lactamases (ESBLs) and ESBL-Producing Microorganisms." Clin. Microbiol. Infect. 7 (2001): 597-608. PubMed: 11737084.


⁷K. pneumoniae, strain CHS 65 was deposited as resistant to cefepime. Antibiotic susceptibility testing performed in duplicate determined cefepime MIC for K. pneumoniae, strain CHS 65 as 8 μg/mL, which is considered sensitive. Because this isolate is not confirmed an ESBL-producer, CLSI recommendations are not to modify the interpretation based on the susceptibilities of other antibiotics in the same class. However, while this strain appears sensitive *in vitro*, there is a possibility that it is resistant *in vivo*.

⁸Also shows homology to other *Klebsiella* species

⁹99.3% sequence identity to K. pneumoniae, strain CHS 65 (GenBank: JMYK01000010.1)

¹⁰Purity of this lot was assessed for 10 days at 37°C in an aerobic atmosphere on Tryptic Soy agar.





Date: 28 MAR 2016 **Sign**

Signature: (/)

BEI Resources Authentication

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources

www.beiresources.org

Tel: 800-359-7370

Fax: 703-365-2898