

Certificate of Analysis for NR-30727

Mycobacterium tuberculosis, Strain 96-3197

Catalog No. NR-30727

This reagent is the tangible property of the U.S. Government.

Product Description: Mycobacterium tuberculosis (M. tuberculosis), strain 96-3197 was isolated between 1995 and 2000 from human sputum from an HIV-negative patient infected with pulmonary tuberculosis in North America. Strain 96-3197 was deposited as a multi-drug sensitive (MDS) strain of tuberculosis with sensitivity to rifampicin and isoniazid.

Lot1: 64121888 Manufacturing Date: 20MAY2016

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis ²		
Cellular morphology	Gram-positive rods	Gram-positive rods
Colony morphology ³	Report results	Irregular, slight peaked, undulate, rough and cream (Figure 1)
Growth rate	≥ 7 days	21 days
Growth at 26°C	Negative	Negative
Growth at 37°C	Positive	Positive
Acid-fast stain	Positive (red colonies)	Positive (red colonies)
Pigmentation in the dark (Scotochromogen)	Negative (no pigment)	Negative (no pigment)
Photoinduction for 1 hour (Photochromogen)	Negative (no pigment)	Negative (no pigment)
Nonchromogen (no pigment)	Positive (no pigment)	Positive (no pigment)
Biochemical tests		
Niacin production ⁴	Positive	Positive
Nitrate reduction	Positive	Positive
Pyrazinamidase	Positive	Positive
Genotypic Analysis		
Sequencing of Heat Shock Protein 65 gene	≥ 99% sequence identity to	100% sequence identity to
(~ 440 base pairs)	M. tuberculosis type strain (GenBank: AL123456)	M. tuberculosis type strain (GenBank: AL123456) ⁵
Purity (post-freeze)		
Middlebrook 7H10 agar with OADC enrichment ⁶	Growth consistent with expected colony morphology	Growth consistent with expected colony morphology
Tryptic Soy agar ⁷	Report results	No growth
Viability (post-freeze) ³	Growth	Growth

NR-30727 was produced by inoculation of the deposited material into Middlebrook 7H9 broth with ADC enrichment. Broth inoculum was added to Middlebrook 7H10 agar with OADC enrichment kolles, which were grown for 65 days at 37°C in an aerobic atmosphere with 5% CO₂ to produce

E-mail: contact@beiresources.org **BEI Resources** www.beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

NR-30727_64121888_30JAN 2017

²Information on Mycobacterium testing is available from Ribón, W. "Biochemical Isolation and Identification of Mycobacteria." <u>Biochemical Testing</u>. (2012) Jose C. Jimenez-Lopez (Ed.), InTech, <a href="http://www.intechopen.com/books/biochemical-testing/b Slowly Growing Mycobacterium Species." Int. J. Syst. Bacteriol. 42 (1992): 315-323. PubMed: 1581193.

³21 days at 37°C in an aerobic atmosphere with 5% CO₂ on Middlebrook 7H10 agar with OADC enrichment

⁴All mycobacteria produce niacin but only *M. tuberculosis* accumulates it, resulting in a positive test for *M. tuberculosis*.

⁵Also consistent with *M. africanum*, *M. bovis*, *M. canettii* and *M. microti*


⁶Purity of this lot was assessed for 53 days at 37°C in an aerobic atmosphere with 5% CO₂.

⁷Purity of this lot was assessed for 21 days at 37°C in an aerobic atmosphere with 5% CO₂.



Certificate of Analysis for NR-30727

Figure 1: Colony Morphology



Date: 30 JAN 2017

Signature:

BEI Resources Authentication

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898