

## **Certificate of Analysis for NR-50506**

## Staphylococcus aureus, Strain SR1129

## Catalog No. NR-50506

**Product Description:** *Staphylococcus aureus* (*S. aureus*), strain SR1129 was isolated in 2011 from a human abscess in Texas, USA. *S. aureus*, strain SR1129 is a vancomycin-sensitive *S. aureus* (VSSA) strain.

Lot<sup>1</sup>: 70001332 Manufacturing Date: 13JAN2017

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Gram-positive cocci	Gram-positive cocci
Colony morphology <sup>2</sup>	Report results	Circular, low convex, entire, smooth
colony marphatagy	Troport rooming	and gray (Figure 1)
Motility (wet mount)	Report results	Non-motile
Hemolysis <sup>2</sup>	Report results	β-hemolytic
Biochemical Characterization	Troport rodule	p nomely as
Catalase	Positive	Positive
VITEK® 2 Compact (GP card)	≥ 90% probability of being <i>S. aureus</i>	S. aureus (96% probability) <sup>3</sup>
Antibiotic Concentibility Duefile		
Antibiotic Susceptibility Profile VITEK® (AST-GP71 card) <sup>4</sup>		
Beta-lactamase <sup>5</sup>	Depart requite	Decitive
	Report results	Positive
Cefoxitin screen	Report results	Positive
Benzylpenicillin	Report results	Resistant (≥ 0.5 µg/mL)
Oxacillin	Resistant	Resistant (≥ 4 µg/mL)
Gentamicin	Report results	Sensitive (≤ 0.5 µg/mL)
Ciprofloxacin	Report results	Resistant (≥ 8 µg/mL)
Levofloxacin	Resistant	Resistant (≥ 8 µg/mL)
Moxifloxacin	Report results	Resistant (= 4 µg/mL)
Clindamycin (inducible resistance)	Report results	Negative
Erythromycin	Resistant	Resistant (≥ 8 μg/mL)
Clindamycin	Sensitive	Sensitive (≤ 0.25 µg/mL)
Quinupristin/dalfopristin	Report results	Sensitive (≤ 0.25 µg/mL)
Linezolid	Sensitive	Sensitive (= 2 µg/mL)
Daptomycin	Sensitive	Sensitive (= 1 µg/mL)
Vancomycin	Sensitive	Sensitive (≤ 1 µg/mL)
Minocycline	Report results	Sensitive (≤ 0.5 µg/mL)
Tetracycline	Sensitive	Sensitive (≤ 1 µg/mL)
Tigecycline	Report results	Sensitive (≤ 0.12 µg/mL) <sup>6</sup>
Nitrofurantoin	Report results	Sensitive (≤ 16 μg/mL)
Rifampicin	Sensitive	Sensitive (≤ 0.5 µg/mL)
Trimethoprim/sulfamethoxazole	Sensitive	Sensitive (≤ 10 µg/mL)
Etest® antibiotic test strips <sup>7</sup>		
Teicoplanin <sup>8</sup>	Report results	Sensitive (= 2 µg/ml)
Genotypic Analysis		
Sequencing of 16S ribosomal RNA gene	≥ 99% sequence identity to	100% sequence identity to
(~ 1500 base pairs)	S. aureus type strain	S. aureus type strain
· · ·	(GenBank: L37597)	(GenBank: L37597)
Purity (post-freeze) <sup>9</sup>	Consistent with expected colony	Consistent with expected colony
	morphology	morphology
Viability (post-freeze) <sup>2</sup>	Growth	Growth

BEI Resources www.beiresources.org E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898



SUPPORTING INFECTIOUS DISEASE RESEARCH

## **Certificate of Analysis for NR-50506**

<sup>1</sup>NR-50506 was produced by inoculation of the deposited material into Tryptic Soy broth and grown 1 day at 37°C in an aerobic atmosphere. Broth inoculum was added to Tryptic Soy agar with 5% defibrinated sheep blood kolles which were grown 1 day at 37°C in an aerobic atmosphere to produce this lot.

<sup>2</sup>1 day at 37°C in an aerobic atmosphere on Tryptic Soy agar with 5% defibrinated sheep blood

<sup>3</sup>Percent probabilities above 90% indicate a close match to the typical biochemical pattern for the given organism, with a percent probability of 99% being a perfect match between the test reaction pattern and the unique biochemical pattern of the given organism or organism group. For additional information, please refer to O'Hara, C. M. and J. M. Miller. "Evaluation of the VITEK 2 ID-GNB Assay for Identification of Members of the Family Enterobacteriaceae and Other Nonenteric Gram-Negative Bacilli and Comparison with the VITEK GNI+ Card." J. Clin. Microbiol. 41 (2003): 2096-2101. PubMed: 12734254.

<sup>4</sup>Minimum Inhibitory Concentration (MIC); MIC Interpretation Guideline: CLSI M100-S22 (2012)

<sup>5</sup>The production of beta-lactamase was detected using a Cefinase™ Paper Disc (BBL™ 231650).

<sup>6</sup>MIC Interpretation Guideline: EUCAST Version 4.0 (2014)

71 day at 37°C in an aerobic atmosphere on Mueller Hinton agar

<sup>8</sup>For teicoplanin (bioMérieux Etest<sup>®</sup> 412459), a MIC ≤ 8 μg/mL is sensitive, a MIC = 16 μg/mL is intermediate, and a MIC ≥ 32 μg/mL is resistant.

Purity of this lot was assessed for 7 days at 37°C in an aerobic atmosphere with 5% CO<sub>2</sub> on Tryptic Soy agar with 5% defibrinated sheep blood.

Figure 1: Colony Morphology



Date: 05 APR 2017 Signature:

**BEI Resources Authentication** 

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org
Tel: 800-359-7370

Fax: 703-365-2898