

Certificate of Analysis for NR-49361

Mycobacterium tuberculosis, Strain XTB13-253

Catalog No. NR-49361

Product Description: *Mycobacterium tuberculosis* (*M. tuberculosis*), strain XTB13-253 was isolated in 2009 from the sputum of a patient with tuberculosis in the Republic of Belarus. Strain XTB13-253 was deposited as resistant to isoniazid, streptomycin and ethambutol.

Lot¹: 64064210 Manufacturing Date: 10MAY2016

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis ²		
Cellular morphology	Gram-positive rods	Gram-positive rods
Colony morphology ³	Report results	Irregular, slight peaked, undulate,
	> 7.1.	rough and cream
Growth rate Growth at 26°C	≥ 7 days	21 days
Growth at 37°C	Negative Positive	Negative Positive
Acid-fast stain Pigmentation in the dark (Scotochromogen)	Positive (red colonies)	Positive (red colonies)
Photoinduction for 1 hour (Photochromogen)	Negative (no pigment) Negative (no pigment)	Negative (no pigment) Negative (no pigment)
Nonchromogen (no pigment)	Positive (no pigment)	Positive (no pigment)
Biochemical tests	Positive (no pigment)	Positive (no pigment)
Niacin production ⁴	Positive	Positive
Nitrate reduction	Positive	Positive
Pyrazinamidase	Positive	Positive
,	1 contro	1 COLUVO
Antibiotic Susceptibility Profile		
Sensititre™ System ^{5,6}	5	0.05 / 1
Amikacin	Report results	0.25 μg/mL
Cycloserine	Report results	16 μg/mL
Ethambutol	Report results	2 μg/mL ⁷
Ethionamide Isoniazid	Report results	20 μg/mL ⁷
10011101111	Report results	4 μg/mL
Kanamycin Moxifloxacin	Report results Report results	1.2 µg/mL 0.5 µg/mL
Ofloxacin	Report results	0.5 μg/mL
Para-aminosalicylic acid	Report results	1 μg/πιΣ ≤ 0.5 μg/mL ⁷
Rifabutin	Report results	$\leq 0.3 \mu \text{g/mL}^7$ $\leq 0.12 \mu \text{g/mL}^7$
Rifampin	Report results	0.25 µg/mL
Streptomycin	Report results	2 μg/mL ⁷
	. reperties and	
Genotypic Analysis	> 000/	1000/
Sequencing of Heat Shock Protein 65 gene	≥ 99% sequence identity to	100% sequence identity to
(~ 430 base pairs)	M. tuberculosis, strain XTB13-253	M. tuberculosis, strain XTB13-253
	(GenBank: JLHD01000002.1)	(GenBank: JLHD01000002.1) ⁸
Purity (post-freeze)		
Middlebrook 7H10 agar with OADC enrichment9	Growth consistent with expected	Growth consistent with expected
	colony morphology	colony morphology
Tryptic Soy agar ¹⁰	Report results	No growth
Viability (post-freeze) ³	Growth	Growth

¹NR-49361 was produced by inoculation of the deposited material into Middlebrook 7H9 broth with ADC enrichment. Broth inoculum was added to Middlebrook 7H10 agar with OADC enrichment kolles, which were grown for 61 days at 37°C in an aerobic atmosphere with 5% CO₂ to produce this lot

BEI Resources

www.beiresources.org

E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

²Information on Mycobacterium testing is available from Ribón, W. "Biochemical Isolation and Identification of Mycobacteria." <u>Biochemical Testing.</u> (2012) Jose C. Jimenez-Lopez (Ed.), InTech, http://www.intechopen.com/books/biochemical-testing/biochemical-isolation-and-identification-of-mycobacteria and Lévy-Frébault, V. V. and F. Portaels. "Proposed Minimal Standards for the Genus *Mycobacterium* and for Description of New Slowly Growing *Mycobacterium* Species." <u>Int. J. Syst. Bacteriol.</u> 42 (1992): 315-323. PubMed: 1581193.



Certificate of Analysis for NR-49361

³21 days at 37°C in an aerobic atmosphere with 5% CO₂ on Middlebrook 7H10 agar with OADC enrichment

⁴All mycobacteria produce niacin but only *M. tuberculosis* accumulates it, resulting in a positive test for *M. tuberculosis*.

⁵Sensititre™ System *Mycobacterium tuberculosis* MIC Plate, Thermo Scientific™, catalog number MYCOTB

⁶Minimum Inhibitory Concentration (MIC); No Clinical & Laboratory Standards Institute (CLSI) interpretations of the Sensititre[™] System data for *M. tuberculosis* are currently available.

⁷For streptomycin, ethionamide, para-aminosalicylic acid, rifabutin and ethambutol, the endpoint for these drugs is determined by the well with approximately 80% inhibition of growth compared to the positive control well with no drug.

⁸Also consistent with M. africanum, M. bovis, M. canettii, M. caprae and M. microti

⁹Purity of this lot was assessed for 51 days at 37°C in an aerobic atmosphere with 5% CO₂.

¹⁰Purity of this lot was assessed for 21 days at 37°C in an aerobic atmosphere with 5% CO₂.

Date: 14 JUL 2017

Signature:

BEI Resources Authentication

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898