

**Rabbit Anti-H5 Serum Control Panel**

**Catalog No. NR-4489**

This reagent is the property of the U.S. Government.

**Product Description:**

The Rabbit Anti-H5 Serum Control Panel (NR-4489) consists of three sera samples obtained from rabbits dosed with rgA/Vietnam/1203/2004(H5N1) and one sample of negative sera from rabbits dosed with PBS.

- NR-4484: Anti-H5 Zero Dose, PBS Control
- NR-4485: Anti-H5 Low Dose, Plus Adjuvant
- NR-4486: Anti-H5 High Dose, No Adjuvant
- NR-4487: Anti-H5 High Dose, Plus Adjuvant


**Lot: 57668854**

**Manufacturing Date<sup>1</sup>: APR2007**

	NR-4484		NR-4485		NR-4486		NR-4487	
<b>Functional Activity<sup>1</sup></b>								
Hemagglutination inhibition titer against H5N1 influenza A viruses								
Clade 1								
A/Vietnam/1203/2004	< 1:40	< 1:40	1:80	1:160	1:160	1:160	1:320	1:320
A/Hong Kong/213/2003	< 1:40	< 1:40	1:320	1:320	1:640	1:640	1:640	1:640
Clade 2								
A/chicken/Salatiga/BBVet-I/2005	< 1:40	< 1:40	1:40	< 1:40	1:40	1:40	1:40	1:40
A/whooping swan/Mongolia/244/2005	< 1:40	< 1:40	< 1:40	< 1:40	1:40	1:40	1:80	1:40
A/Japanese white-eye/HongKong/1038/2006	< 1:40	< 1:40	< 1:40	1:40	1:40	1:80	1:80	1:80

<sup>1</sup>Results from duplicate independent determinations are shown.

**Date:** 07 APR 2014

**Signature:** 

**Title:** Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by the contractor to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection. You are authorized to use this product for research use only. It is not intended for human use.

