

## **Certificate of Analysis for NR-8126**

## Ferret Orthologue of Homo sapiens NFKBIA, Reverse Primer

## Catalog No. NR-8126

This reagent is the tangible property of the U.S. Government.


**Product Description:** NR-8126 pairs with NR-8125 to amplify the ferret (*Mustela putoris furo*) orthologue of *Homo sapiens* NFKBIA (nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha), (NCBI GeneID: 4792).

Lot: 1052 Manufacturing Date: 06JUN2007

TEST	SPECIFICATIONS	RESULTS
PCR Amplification <sup>1</sup>		
Recommended primer concentration	Report results	250 nM
Observed C <sub>T</sub>	Report results	29.7 (see Figure 1)
Product T <sub>m</sub>	Report results	80°C (see Figure 2)
Amplification and Sequence Verification <sup>2</sup>	NFKBIA	NFKBIA
Content (OD <sub>260</sub> )	Report results	1.72
Content (µg)	Report results	52.26
Content (pmol)	Report results	8696.78
Volume Needed for 100 μM Solution (μL)	Report results	86.96
Purity by HPLC	> 75%	85.93% (see Figure 3)

<sup>&</sup>lt;sup>1</sup>Real-time PCR assay with a standard cDNA template derived from mitogen-activated ferret (*Mustela putoris furo*) PBMCs, splenocytes and lung tissue.

<sup>&</sup>lt;sup>2</sup>The PCR product of the target gene was cloned into pCR<sup>®</sup>2.1-TOPO<sup>®</sup>. Plasmid DNA was sequenced using the M13 reverse primer. Sequence identities were verified by BLASTN analysis against the NCBI database.






Figure 1. Amplicon amplification (∆Rh versus Cycle Number).

Figure 2. Amplicon dissociation (Derivative versus Temperature (°C)).

Manassas, VA 20108-4137 USA www.beiresources.org

Page 1 of 2

Fax: 703-365-2898

E-mail: contact@beiresources.org

800-359-7370



## **Certificate of Analysis for NR-8126**




Figure 3. HPLC trace of purified oligonucleotide (Absorbance versus Elution Time).

**Date:** 16 JAN 2008 **Signature:** Signature on File

**Title:** Technical Manager, BEI Authentication or designee

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by the contractor to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.



Fax: 703-365-2898

800-359-7370