

Certificate of Analysis for NR-4717

Genomic DNA from Yersinia pestis, Strain Yokohama Derivative 11 (D11)

Catalog No. NR-4717

Product Description: Genomic DNA was isolated from a preparation of *Yersinia pestis* (*Y. pestis*), strain Yokohama derivative 11 (D11).

Lot¹: 58152462 Manufacturing Date: 23APR2008

TEST	SPECIFICATIONS	RESULTS
Sequencing of 16S Ribosomal RNA Gene (~ 1370 bp)	Identical to BEI Resources NR-4693 Consistent with <i>Y. pestis</i>	Identical to BEI Resources NR-4693 Consistent with <i>Y. pestis</i> ²
Presence of Plasmids Confirmed by PCR Amplification pMT1 (pFra; ~ 100 kb plasmid) pCD1 (pYV; ~ 70 kb plasmid) pPCP1 (pPla; ~ 9.5 kb plasmid)	Positive Negative Positive	Positive Negative Positive
Agarose Gel Electrophoresis	High molecular weight chromosomal DNA	High molecular weight chromosomal DNA (Figure 1)
Concentration by PicoGreen® Measurement	4 to 6 μg in 25 to 100 μL per vial	5.8 μg in 37 μL per vial (158 μg/mL)
Functional Activity by PCR Amplification 16S ribosomal RNA gene Virulence-associated plasmids pMT1 (pFra; ~ 100 kb plasmid) pCD1 (pYV; ~ 70 kb plasmid) pPCP1 (pPla; ~ 9.5 kb plasmid)	~ 1500 bp amplicon ~ 1200 bp amplicon None detected ~ 400 bp amplicon	~ 1500 bp amplicon ~ 1200 bp amplicon None detected ~ 400 bp amplicon
OD ₂₆₀ /OD ₂₈₀ Ratio	1.7 to 1.9	1.9
Bacterial Inactivation 10% of total yield plated on Tryptic Soy Agar ^{3,4}	No viable bacteria detected	No viable bacteria detected

Y. pestis, strain Yokohama(D11) was deposited by Professor Robert R. Brubaker of the Department of Microbiology and Molecular Genetics at Michigan State University, East Lansing, Michigan. The bacterial preparation used for extraction of genomic DNA was produced by broth (Tryptic Soy Broth; BD 211768) culture of the deposited material. After incubation for 48 hours at 28°C and aerobic atmosphere, genomic DNA was extracted using proprietary technology.

Date: 03 SEP 2008 **Signature:** Signature on File

Title: Technical Manager, BEI Authentication or designee

ATCC[®], on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC[®]'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

Biodefense and Emerging Infections Research Resources Repository

P.O. Box 4137 Manassas, VA 20108-4137 USA www.beiresources.org Fax: 703-365-2898

E-mail: contact@beiresources.org

800-359-7370


²Also consistent with other *Yersinia* species

³7 days at 37°C in an aerobic atmosphere

⁴An extraction procedure was used that has been shown to consistently inactivate 100% of Gram-negative bacteria.



Certificate of Analysis for NR-4717



Lane 1: Invitrogen™ TrackIt™ 1 Kb Plus DNA Ladder Lane 2: 200 ng of NR-4717

Fax: 703-365-2898

E-mail: contact@beiresources.org

800-359-7370