

Certificate of Analysis for NR-30781

Mycobacterium tuberculosis, Strain 97-2493

Catalog No. NR-30781

This reagent is the tangible property of the U.S. Government.

Product Description: *Mycobacterium tuberculosis (M. tuberculosis)*, strain 97-2493 was isolated between 1995 and 2000 from human sputum from an HIV-negative patient infected with pulmonary tuberculosis in North America.

Lot¹: 64496463 Manufacturing Date: 17FEB2017

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis ²		
Cellular morphology	Gram-positive rods	Gram-positive rods
Colony morphology ³	Report results	Irregular, slight peaked, undulate, rough and cream (Figure 1)
Growth rate	≥ 7 days	21 days
Growth at 26°C	Negative	Variable ⁴
Growth at 37°C	Positive	Positive
Acid-fast stain	Positive (red colonies)	Positive (red colonies)
Pigmentation in the dark (Scotochromogen)	Negative (no pigment)	Negative (no pigment)
Photoinduction for 1 hour (Photochromogen)	Negative (no pigment)	Negative (no pigment)
Nonchromogen (no pigment)	Positive (no pigment)	Positive (no pigment)
Biochemical tests		
Niacin production ⁵	Positive	Positive
Nitrate reduction	Positive	Positive
Pyrazinamidase	Positive	Positive
Genotypic Analysis		
Sequencing of Heat Shock Protein 65 gene (440 base pairs)	≥ 99% sequence identity to <i>M. tuberculosis</i> type strain (GenBank: AL123456)	100% sequence identity to M. tuberculosis type strain (GenBank: AL123456) ⁶
Purity (post-freeze)		
Middlebrook 7H10 agar with OADC enrichment ⁷	Growth consistent with expected colony morphology	Growth consistent with expected colony morphology
Tryptic Soy agar ⁸	Report results	Growth consistent with expected colony morphology
Viability (post-freeze) ³	Growth	Growth

¹NR-30781 was produced by inoculation of the deposited material into Middlebrook 7H9 broth with ADC enrichment. Broth inoculum was added to Middlebrook 7H10 agar with OADC enrichment kolles, which were grown for 66 days at 37°C in an aerobic atmosphere with 5% CO₂ to produce this lot

BEI Resources

www.beiresources.org

E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

²Information on Mycobacterium testing is available from Ribón, W. "Biochemical Isolation and Identification of Mycobacteria." <u>Biochemical Testing.</u> (2012) Jose C. Jimenez-Lopez (Ed.), InTech, http://www.intechopen.com/books/biochemical-testing/biochemical-isolation-and-identification-of-mycobacteria and Lévy-Frébault, V. V. and F. Portaels. "Proposed Minimal Standards for the Genus *Mycobacterium* and for Description of New Slowly Growing *Mycobacterium* Species." <a href="https://www.intechopen.com/books/biochemical-testing/biochemical-isolation-and-identification-of-mycobacteria} and Lévy-Frébault, V. V. and F. Portaels. "Proposed Minimal Standards for the Genus *Mycobacterium* and for Description of New Slowly Growing *Mycobacterium* Species." https://www.intechopen.com/books/biochemical-testing/biochemical-isolation-and-identification-of-mycobacteria and Lévy-Frébault, V. V. and F. Portaels. "Proposed Minimal Standards for the Genus *Mycobacterium* and for Description of New Slowly Growing *Mycobacterium* Species." https://www.intechopen.com/books/biochemical-testing/biochemical-isolation-and-identification-of-mycobacterium and Lévy-Frébault, V. V. and F. Portaels. "Proposed Minimal Standards for the Genus *Mycobacterium* and for Description of New Slowly Growing Mycobacterium" (1988) (198

³²¹ days at 37°C in an aerobic atmosphere with 5% CO₂ on Middlebrook 7H10 agar with OADC enrichment

⁴Both growth and no growth were observed for this strain at 26°C in an aerobic atmosphere with 5% CO₂ in Middlebrook 7H9 broth with ADC enrichment. Specifications for this test were obtained from Bergey's Manual® of Systematic Bacteriology, 2nd ed., Volume 5, Part A, which indicates that no growth at 26°C (negative result) is represented by >90% of strains tested, and growth at 26°C (positive result) is represented by <10% of strains tested.

⁵All mycobacteria produce niacin but only *M. tuberculosis* accumulates it, resulting in a positive test for *M. tuberculosis*.

⁶Also consistent with M. africanum, M. bovis, M. canettii, M. caprae and M. microti

⁷Purity of this lot was assessed for 33 days at 37°C in an aerobic atmosphere with 5% CO₂.

⁸Purity of this lot was assessed for 21 days at 37°C in an aerobic atmosphere with 5% CO₂.



Certificate of Analysis for NR-30781

Figure 1: Colony Morphology



/Heather Couch/ Heather Couch

04 SEP 2018

Program Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

 $ATCC^{\otimes}$ is a trademark of the American Type Culture Collection. You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org
Tel: 800-359-7370

Fax: 703-365-2898