

Certificate of Analysis for NR-51543

Pseudomonas aeruginosa, Strain MRSN 4841

Catalog No. NR-51543

This reagent is the tangible property of the U.S. Government.

Product Description:

Pseudomonas aeruginosa (P. aeruginosa), strain MRSN 4841 was isolated in 2011 from human urine as part of a surveillance program in the United States. *P. aeruginosa*, strain MRSN 4841 was deposited as sensitive to amikacin, imipenem and tobramycin, intermediately resistant to ceftazidime, gentamicin, meropenem and piperacillin/tazobactam and resistant to aztreonam, cefepime, ciprofloxacin and levofloxacin.

Lot: 70024958¹ Manufacturing Date: 09MAY2019

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Gram-negative rods	Gram-negative rods
Colony morphology ²	Report results	Circular, convex, entire, smooth and cream (Figure 1)
Motility (wet mount)	Report results	Motile
VITEK® 2 (GN card)	P. aeruginosa (≥ 89%)	P. aeruginosa (98%)
Antibiotic Susceptibility Profile ³ VITEK® (AST-GN81 Card)		
Ampicillin	Report results	Resistant (≥ 32 µg/mL)
Amoxicillin/clavulanic acid	Report results	Resistant (≥ 32 µg/mL)
Piperacillin/tazobactam	Intermediate	Intermediate (32 µg/mL)
Cefazolin	Report results	Resistant (≥ 64 µg/mL)
Cefoxitin	Report results	Resistant (≥ 64 µg/mL)
Ceftazidime	Intermediate	Resistant (32 µg/mL) ⁴
Ceftriaxone	Report results	Resistant (≥ 64 µg/mL)
Cefepime	Resistant	Resistant (≥ 64 µg/mL)
Meropenem	Intermediate	Sensitive (2 µg/mL) ⁴
Amikacin	Sensitive	Intermediate (32 µg/mL) ⁵
Gentamicin	Intermediate	Intermediate (8 µg/mL)
Tobramycin	Sensitive	Sensitive (4 µg/mL)
Ciprofloxacin	Resistant	Resistant (≥ 4 µg/mL)
Levofloxacin	Resistant	Resistant (≥ 8 μg/mL)
Tetracycline	Report results	Resistant (≥ 16 µg/mL)
Nitrofurantoin	Report results	Resistant (≥ 512 µg/mL)
Trimethoprim/sulfamethoxazole	Report results	≥ 320 µg/mL ⁶
Genotypic Analysis		
Sequencing of 16S ribosomal RNA gene (~ 1430 base pairs)	≥ 99% sequence identity to P. aeruginosa, strain MRSN 4841 (GenBank: RXTT01000078.1)	99.9% sequence identity to P. aeruginosa, strain MRSN 4841 (GenBank: RXTT01000078.1)
Purity (post-freeze) ⁷	Growth consistent with expected colony morphology	Growth consistent with expected colony morphology
Viability (post-freeze) ²	Growth	Growth
	L	1

¹NR-51543 was produced by inoculation of the depositor material into Tryptic Soy broth and grown for 1 day at 37°C in an aerobic atmosphere. Broth inoculum was added to Tryptic Soy agar kolles, which were grown for 1 day at 37°C in an aerobic atmosphere to produce this lot.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org

Tel: 800-359-7370 Fax: 703-365-2898

²1 day at 37°C in an aerobic atmosphere on Tryptic Soy agar

³Minimum Inhibitory Concentration (MIC); MIC Interpretation Guideline: CLSI M100-S28 (2018)

⁴Susceptibilty results for this antibiotic are within one doubling dilution of specification, which is considered an equivalent result.

⁵P. aeruginosa, strain MRSN 4841 was deposited as sensitive to amikacin. Repeated antibiotic susceptibility testing determined that strain MRSN 4841 is intermediately resistant to amikacin.



SUPPORTING INFECTIOUS DISEASE RESEARCH

Certificate of Analysis for NR-51543

⁶Trimethoprim/sulfamethoxazole MIC interpretive standards are not available for *P. aeruginosa*, however most clinical isolates are resistant to trimethoprim/sulfamethoxazole. For more information, please refer to Köhler, T., et al. "Multidrug Efflux in Intrinsic Resistance to Trimethoprim and Sulfamethoxazole in *Pseudomonas aeruginosa*." <u>Antimicrob. Agents Chemother.</u> 40 (1996): 2288-2290. PubMed: 9036831.

⁷Purity of this lot was assessed for 8 days at 37°C in an aerobic atmosphere with and without 5% CO₂ on Tryptic Soy agar.

Figure 1: Colony Morphology



/Heather Couch/ Heather Couch

16 JAN 2020

Program Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

BEI Resources www.beiresources.org E-mail: contact@beiresources.org
Tel: 800-359-7370

Tel: 800-359-7370 Fax: 703-365-2898