

Vector pET-11a Containing the SARS-Related Coronavirus 2, Wuhan-Hu-1 ADP-Ribose-Phosphatase (ADRP) Gene

Catalog No. NR-52438

This reagent is the tangible property of the U.S. Government.

Product Description:

The ADP-ribose-phosphatase gene (ADRP; amino acids 1024 to 1192; GenPept: [YP_009724389](#)) from severe acute respiratory syndrome-related coronavirus 2 (SARS-CoV-2), Wuhan-Hu-1 (GenBank: [MN908947](#)) was codon optimized, tagged with a thrombin cleavage site and a tobacco etch virus (TEV) cleavable N-terminal hexa-histidine tag and cloned into the pET-11a plasmid. The beta-lactamase gene, *bla*, provides transformant selection through ampicillin resistance in *Escherichia coli* (*E. coli*). The deposited plasmid was transformed into One Shot™ TOP10 *E. coli* (Invitrogen™ C404003), grown in Luria-Bertani broth with ampicillin (50 µg per mL) for 1 day at 37°C in an aerobic atmosphere, extracted using a Plasmid Plus Maxi Kit (QIAGEN® 12963) and vialled in TE buffer (10 mM Tris-HCl, 1 mM EDTA, pH 8.0).

Lot: 70036757

Manufacturing Date: 06MAY2020

TEST	SPECIFICATIONS	RESULTS
Next-Generation DNA Sequencing	Report results	6252 base pairs ¹
Genotypic Analysis Sequencing of nsp3 ADRP insert (~ 610 base pairs)	100% sequence identity to depositor's sequence His ₆ tag sequence confirmed TEV protease site sequence confirmed Thrombin protease site sequence confirmed	100% sequence identity to depositor's sequence ² His ₆ tag sequence confirmed TEV protease site sequence confirmed Thrombin protease site sequence confirmed
Antibiotic Resistance Ampicillin (encoded by beta-lactamase gene <i>bla</i>) ³	<i>bla</i> sequence present	<i>bla</i> sequence present
Concentration by PicoGreen® Measurement	≥ 2 µg per mL	0.2 µg in 20 µL per vial (8 µg per mL)
Amount per Vial	Report results	0.2 µg per vial
OD₂₆₀/OD₂₈₀ Ratio	1.7 to 2.1	1.9
Effective Bacterial Transformation Invitrogen™ One Shot™ TOP10 <i>E. coli</i>	≥ 50 colonies per ng	160 colonies per ng

¹The sequence was assembled pre-vial using the predicted sequence as the reference sequence. The complete plasmid sequence and map are provided on the BEI Resources webpage.

²The NR-52438 insert was codon optimized, but otherwise is consistent with the SARS-CoV-2, Wuhan-Hu-1 ADRP protein (GenPept: YP_009724389.1).

³The antibiotic ampicillin degrades quickly during growth. Bacterial stationary phase should be minimized during plasmid expansion to avoid plasmid loss and increased antibiotic concentrations may be necessary.

/Heather Couch/
Heather Couch

06 APR 2021

Program Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by ATCC® to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.
You are authorized to use this product for research use only. It is not intended for human use.

