bei resources

SUPPORTING INFECTIOUS DISEASE RESEARCH

Klebsiella pneumoniae, Strain MRSN 1912

Catalog No. NR-55504

This reagent is the tangible property of the U.S. Government.

Product Description:

Klebsiella pneumoniae (K. pneumoniae), strain MRSN 1912 was isolated in 2010 from a human perianal sample in North America as part of a global surveillance program. NR-55504 was deposited as sensitive to amikacin, ampicillin/sulbactam, aztreonam, cefepime, ceftazidime, ceftazidime/avibactam, ceftolozane/tazobactam, ceftriaxone, ciprofloxacin, ertapenem, gentamicin, imipenem, levofloxacin, meropenem, piperacillin/tazobactam, tetracycline, tigecycline, tobramycin and trimethoprim/sulfamethoxazole. NR-55504 was produced by inoculation of the deposited material into Tryptic Soy broth and grown for 1 day at 37°C in an aerobic atmosphere. Broth inoculum was added to Tryptic Soy agar kolles, which were grown for 1 day at 37°C in an aerobic atmosphere to produce this lot. Quality control testing was completed under propagation conditions unless otherwise noted.

Lot: 70049676

Manufacturing Date: 19JAN2022

BEI Resources is committed to ensuring digital accessibility for people with disabilities. This Certificate of Analysis contains complex tables and may not be fully accessible. Please let us know if you encounter accessibility barriers and a fully accessible document will be provided: E-mail: <u>Contact@BEIResources.org</u>. We try to respond to feedback within 24 hours.

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Gram-negative rods	Gram-negative rods
Colony morphology	Report results	Circular, convex, entire, smooth, mucoid and cream (Figure 1)
Motility (wet mount)	Report results	Non-motile
VITEK [®] 2 (GN card)	K. pneumoniae (≥ 89%)	K. pneumoniae (99%)
Antibiotic Susceptibility Profile ^{1,2}		
Amikacin	Sensitive	Sensitive (≤ 2 µg/mL)
Ampicillin/sulbactam	Sensitive	Sensitive (4 µg/mL)
Aztreonam	Sensitive	Sensitive (≤ 1 µg/mL)
Cefepime	Sensitive	Sensitive (≤ 1 µg/mL)
Ceftazidime	Sensitive	Sensitive (≤ 1 µg/mL)
Ceftazidime/avibactam	Sensitive	Sensitive (≤ 0.25 µg/mL)
Ceftolozane/tazobactam	Sensitive	Sensitive (≤ 0.25 to 0.38 µg/mL)
Ceftriaxone	Sensitive	Sensitive (≤ 1 µg/mL)
Ciprofloxacin	Sensitive	Sensitive (0.064 µg/mL)
Ertapenem	Sensitive	Sensitive (≤ 0.5 µg/mL)
Gentamicin	Sensitive	Sensitive (≤ 1 µg/mL)
Imipenem	Sensitive	Sensitive (0.25 µg/mL)
Levofloxacin	Sensitive	Sensitive (≤ 0.12 µg/mL)
Meropenem	Sensitive	Sensitive (≤ 0.25 µg/mL)
Piperacillin/tazobactam	Sensitive	Sensitive (≤ 4 µg/mL)
Tetracycline	Sensitive	Sensitive (≤ 1 µg/mL)
Tigecycline	Sensitive	Sensitive (1 µg/mL) ³
Tobramycin	Sensitive	Sensitive (≤ 1 µg/mL)
Trimethoprim/sulfamethoxazole	Sensitive	Sensitive (40 µg/mL)
Genotypic Analysis		
Sequencing of 16S ribosomal RNA gene (~ 1340 base pairs)	≥ 99% sequence identity to <i>K. pneumoniae</i> , strain MRSN 1912 (GenBank: JAGYFC010000074.1, JAGYFC010000075.1 and JAGYFC010000076.1)	99.9% sequence identity to <i>K. pneumoniae</i> , strain MRSN 1912 (GenBank: JAGYFC010000074.1, JAGYFC010000075.1 and JAGYFC010000076.1) ⁴

BEI Resources www.beiresources.org E-mail: <u>contact@beiresources.org</u> Tel: 800-359-7370 Fax: 703-365-2898

Certificate of Analysis for NR-55504

SUPPORTING INFECTIOUS DISEASE RESEARCH

TEST	SPECIFICATIONS	RESULTS
Purity 7 days at 37°C in an aerobic atmosphere with and without 5% CO ₂ on Tryptic Soy agar	Growth consistent with expected colony morphology	Growth consistent with expected colony morphology
Viability	Growth	Growth

¹Minimum Inhibitory Concentration (MIC); MIC Interpretation Guideline: CLSI M100-S28 (2018)

²Antibiotic susceptibility was tested using a combination of bioMérieux VITEK[®]2 GN74 and ETEST[®].

³MIC Interpretation Guideline: EUCAST Version 8.0 (2018)

⁴Also consistent with other *Klebsiella* species

Figure 1: Colony Morphology



/Heather Couch/ <u>Heather Couch</u>

Program Manager or designee, ATCC Federal Solutions

ATCC[®], on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC[®]'s knowledge.

ATCC[®] is a trademark of the American Type Culture Collection. You are authorized to use this product for research use only. It is not intended for human use.



22 MAR 2022