

***Klebsiella pneumoniae*, Strain MRSN 702261**

Catalog No. NR-55592

This reagent is the tangible property of the U.S. Government.

Product Description:

Klebsiella pneumoniae (*K. pneumoniae*), strain MRSN 702261 was isolated in 2019 from a human wound sample in Africa as part of a global surveillance program. NR-55592 was deposited as a multidrug-resistant strain, sensitive to amikacin, ceftazidime/avibactam, ceftolozane/tazobactam, ciprofloxacin, ertapenem, gentamicin, imipenem, levofloxacin, meropenem, piperacillin/tazobactam and tigecycline, intermediately resistant to ceftazidime and resistant to ampicillin/sulbactam, aztreonam, cefepime, ceftriaxone, tetracycline, tobramycin and trimethoprim/sulfamethoxazole. NR-55592 was produced by inoculation of the deposited material into Tryptic Soy broth and grown for 1 day at 37°C in an aerobic atmosphere. Broth inoculum was added to Tryptic Soy agar kolles, which were grown for 1 day at 37°C in an aerobic atmosphere to produce this lot. Quality control testing was completed under propagation conditions unless otherwise noted.

Lot: 70051622

Manufacturing Date: 14APR2022

BEI Resources is committed to ensuring digital accessibility for people with disabilities. This Certificate of Analysis contains complex tables and may not be fully accessible. Please let us know if you encounter accessibility barriers and a fully accessible document will be provided: E-mail: Contact@BEIResources.org. We try to respond to feedback within 24 hours.

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis Cellular morphology Colony morphology Motility (wet mount) VITEK® 2 (GN card)	Gram-negative rods Report results Report results <i>K. pneumoniae</i> (≥ 89%)	Gram-negative rods Circular, convex, entire, smooth and cream (Figure 1) Non-motile <i>K. pneumoniae</i> (98%)
Antibiotic Susceptibility Profile^{1,2} Amikacin Ampicillin/sulbactam Aztreonam Cefepime Ceftazidime Ceftazidime/avibactam Ceftolozane/tazobactam Ceftriaxone Ciprofloxacin Ertapenem Gentamicin Imipenem Levofloxacin Meropenem Piperacillin/tazobactam Tetracycline Tigecycline Tobramycin Trimethoprim/sulfamethoxazole	Sensitive Resistant Resistant Resistant Intermediate Sensitive Sensitive Resistant Sensitive Sensitive Sensitive Sensitive Sensitive Sensitive Sensitive Sensitive Resistant Sensitive Resistant Resistant	Sensitive (≤ 2 µg/mL) Resistant (≥ 32 µg/mL) Resistant (16 µg/mL) Intermediate (4 µg/mL) ³ Intermediate (6 to 8 µg/mL) Sensitive (0.25 µg/mL) Sensitive (0.25 to 0.38 µg/mL) Resistant (≥ 64 µg/mL) Sensitive (0.094 µg/mL) Sensitive (≤ 0.5 µg/mL) Sensitive (≤ 1 µg/mL) Sensitive (0.19 µg/mL) Sensitive (≤ 0.12 µg/mL) Sensitive (≤ 0.25 µg/mL) Sensitive (16 µg/mL) Resistant (≥ 16 µg/mL) Inconclusive ^{4,5} Intermediate (8 µg/mL) ⁶ Resistant (≥ 320 µg/mL)
Genotypic Analysis Sequencing of 16S ribosomal RNA gene (~ 1470 base pairs)	≥ 99% sequence identity to <i>K. pneumoniae</i> , strain MRSN 702261 (GenBank: JAGYBT010000080.1)	99.7% sequence identity to <i>K. pneumoniae</i> , strain MRSN 702261 (GenBank: JAGYBT010000080.1) ⁷

TEST	SPECIFICATIONS	RESULTS
Purity 7 days at 37°C in an aerobic atmosphere with 5% CO ₂ on Tryptic Soy agar with 5% defibrinated sheep blood	Growth consistent with expected colony morphology	Growth consistent with expected colony morphology
Viability	Growth	Growth

¹Minimum Inhibitory Concentration (MIC); MIC Interpretation Guideline: CLSI M100-S28 (2018)

²Antibiotic susceptibility was tested using a combination of bioMérieux VITEK[®]2 GN74 and ETEST[®].

³*K. pneumoniae*, strain MRSN 702261 was deposited as resistant to cefepime, but showed a MIC of 4 µg per mL (interpreted as intermediately resistant) for this antibiotic during QC testing. Testing was performed in duplicate.


⁴MIC Interpretation Guideline: EUCAST Version 8.0 (2018)

⁵*K. pneumoniae*, strain MRSN 702261 was deposited as being sensitive to tigecycline. Antibiotic susceptibility testing performed in duplicate determined that for strain MRSN 702261, the tigecycline MICs are 1 µg per mL and 2 µg per mL, which are interpreted as sensitive and resistant, respectively.

⁶The susceptibility result for this antibiotic is within one doubling dilution of specification, which is considered an equivalent result.

⁷Also consistent with other *Klebsiella* species

Figure 1: Colony Morphology



/Sonia Bjorum Brower/

Sonia Bjorum Brower

11 AUG 2022

Lead Technical Writer or designee, ATCC Federal Solutions

ATCC[®], on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC[®]'s knowledge.

ATCC[®] is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

