

***Streptococcus pneumoniae*, Strain TREP15B**

**Catalog No. NR-59139**

**Product Description:**

*Streptococcus pneumoniae* (*S. pneumoniae*), strain TREP15B was derived from human wild-type *S. pneumoniae*, strain DS0556-97 (serotype 15B) by natural selection using increasing concentrations of trimethoprim. NR-59139 was produced by inoculation of the deposited material into Todd-Hewitt broth containing 0.5% (w/v) yeast extract and grown for 1 day at 37°C in an aerobic atmosphere with 5% CO<sub>2</sub>. Broth inoculum was added to Tryptic Soy agar with 5% defibrinated sheep blood kolles, which were grown for 1 day at 37°C in an aerobic atmosphere with 5% CO<sub>2</sub> to produce this lot. Quality control testing was completed under propagation conditions unless otherwise noted.

**Lot: 70058475**

**Manufacturing Date: 08FEB2023**

TEST	SPECIFICATIONS	RESULTS
<b>Phenotypic Analysis</b> Cellular morphology Colony morphology  Hemolysis Motility (wet mount) Catalase VITEK® MS (MALDI-TOF)	Gram-positive cocci Report results  α-hemolytic Report results Report results <i>S. pneumoniae</i>	Gram-positive cocci Circular, low convex, entire, translucent, smooth and cream α-hemolytic Non-motile Negative <i>S. pneumoniae</i> (99.9%)
<b>Antibiotic Susceptibility Profile<sup>1</sup></b> Etest® antibiotic test strips 1 day at 35°C in an aerobic atmosphere with 5% CO <sub>2</sub> on Mueller Hinton agar with 5% defibrinated sheep blood Trimethoprim (bioMérieux 412482)	Report results	≥ 32 µg/mL
<b>Genotypic Analysis</b> Sequencing of 16S ribosomal RNA gene (~ 1460 base pairs)	≥ 99% sequence identity to <i>S. pneumoniae</i> type strain (GenBank: NR_028665.1)	99.8% sequence identity to <i>S. pneumoniae</i> type strain (GenBank: NR_028665.1)
<b>Purity (post-freeze)</b> 7 days at 37°C in an aerobic atmosphere with 5% CO <sub>2</sub> on Tryptic Soy agar with 5% defibrinated sheep blood	Growth consistent with expected colony morphology	Growth consistent with expected colony morphology
<b>Viability (post-freeze)</b>	Growth	Growth

<sup>1</sup>Minimum Inhibitory Concentration (MIC); MIC Interpretation Guideline: Burton, R. L. and M. H. Nahm. "Development of a Fourfold Multiplexed Opsonophagocytosis Assay for Pneumococcal Antibodies against Additional Serotypes and Discovery of Serological Subtypes in *Streptococcus pneumoniae* Serotype 20." *Clin. Vaccine Immunol.* 19 (2012): 835-841. PubMed: 22518015.

/Sonia Bjorum Brower/  
 Sonia Bjorum Brower

20 JUL 2023

Technical Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected by ATCC® to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.  
 You are authorized to use this product for research use only. It is not intended for human use.

