D|**e**|**i** resources

SUPPORTING INFECTIOUS DISEASE RESEARCH

Staphylococcus aureus subsp. *aureus*, Strain JE2, Transposon Mutant NE972 (SAUSA300_0705)

Catalog No. NR-47515

Product Description:

Staphylococcus aureus (S. aureus) subsp. aureus, transposon mutant NE972 was derived from S. aureus subsp. aureus, strain JE2. Mutagenesis occurred through the use of the *mariner*-based transposon *bursa aurealis* resulting in an erythromycin-resistant deletion strain of JE2. S. aureus subsp. aureus, transposon mutant NE972 was created by disruption of SAUSA300_0705, which encodes for ATP-dependent DNA helicase RecQ. NR-47515 was produced by inoculation of the deposited material into Tryptic Soy broth with 5 μ g/mL erythromycin and incubated for 1 day at 37°C in an aerobic atmosphere. Broth inoculum was added to a Tryptic Soy agar with 5 μ g/mL erythromycin kolle which was grown for 1 day at 37°C in an aerobic atmosphere. Quality control testing was completed under propagation conditions unless otherwise noted.


<u>Note</u>: Prior to initiating work, it is recommended that the presence and location of the transposon is confirmed. Gene specific primers should be paired with either the "Upstream" primer (5'-CTCGATTCTATTAACAAGGG-3') for transposons in the "plus" orientation or the "Buster" primer (5'-GCTTTTTCTAAATGTTTTTAAGTAAATCAAGTAC-3') for transposons in the "minus" orientation. For additional information, refer to Fey, P. D., et al. "A Genetic Resource for Rapid and Comprehensive Phenotype Screening of Nonessential *Staphylococcus aureus* Genes." <u>mBio</u> 4 (2013): e00537-12. PubMed: 23404398.

Lot: 70065023

Manufacturing Date: 29NOV2023

TEST	SPECIFICATIONS	RESULTS
Phenotypic Analysis		
Cellular morphology	Gram-positive cocci	Gram-positive cocci
Colony morphology	Report results	Circular, convex, entire, smooth and cream (Figure 1)
Motility (wet mount)	Report results	Non-motile
Confirmation of Transposon Insertion	Resistant to erythromycin	Resistant to erythromycin
Purity (post-freeze) 7 days at 37°C in an aerobic atmosphere with and without 5% CO ₂ on Tryptic Soy agar with 5% defibrinated sheep blood	Growth consistent with expected colony morphology	Growth consistent with expected colony morphology
Viability (post-freeze)	Growth	Growth

Figure 1: Colony Morphology



E-mail: <u>contact@beiresources.org</u> Tel: 800-359-7370 Fax: 703-365-2898 biei resources

Certificate of Analysis for NR-47515

SUPPORTING INFECTIOUS DISEASE RESEARCH

/Sonia Bjorum Brower/ Sonia Bjorum Brower

Technical Manager or designee, ATCC Federal Solutions

ATCC[®], on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC[®]'s knowledge.

ATCC[®] is a trademark of the American Type Culture Collection. You are authorized to use this product for research use only. It is not intended for human use.



23 JAN 2024