

## NIH AIDS Reagent Program

20301 Century Boulevard Building 6, Suite 200 Germantown, MD 20874 USA

Phone: 240 686 4740 Fax: 301 515 4015 aidsreagent.org

## DATA SHEET

Reagent:	Anti-Human CCR5 Monoclonal (45531)
Catalog Number:	4087
Lot Number:	130165
Release Category:	A
Provided:	100 $\mu g$ purified protein, resuspended in PBS at 1 mg/mL.
Description:	This antiobody was produced from a hybridoma resulting from the fusion of a mouse myeloma with B cells obtained from a Balb/c mouse inoculated with CC chemokine receptor 5 (hCCR5) trasnfected NSO mouse myeloma cells. The IgG fraction of ascities fluid was purified by Protien G affinity chromatography.
Host:	Balb/c mouse.
Special Characteristics:	This antibody was selected for ability to react in FACS specifically with human CCR5 transfectants. Also reacts with a CCR5/CCR2 chimera containing the 2nd extracellular loop of CCR5. Reacts with CCR5 on the surface of stimulated human PBMCs. Use at 5-10 $\mu$ g/ml for flow cytometry. Can be used at 5-25 $\mu$ g/ml for immunohistochemistry on cultured cells or tissue sections. Complete inhibition of cell-surface CCR5-mediated rhMIP-1a response occurs at 50 ug/ml antibody in the presence of 1.25 $\mu$ g/ml rhMIP-1a.
	Commerically available at R&D Systems (Cat# MAB182)
Recommended Storage:	-80°C
Contributor:	DAIDS, NIAID
Isotype:	IgG <sub>2b</sub>
References:	Endres MJ, et al. Cell 87:745, 1996.

## ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.

Acknowledgement for publications should read "The following reagent was obtained through the NIH AIDS Reagent Program, Division of AIDS, NIAID, NIH: Anti-Human CCR5 Monoclonal (45531)."

Last Updated March 01, 2016

ALL RECIPIENTS OF THIS MATERIAL MUST COMPLY WITH ALL APPLICABLE BIOLOGICAL, CHEMICAL, AND/OR RADIOCHEMICAL SAFETY STANDARDS INCLUDING SPECIAL PRACTICES, EQUIPMENT, FACILITIES, AND REGULATIONS. NOT FOR USE IN HUMANS.